


Pocket system for pivoting, folding and lateral sliding in of wooden doors up to 25 kg (55 lbs.). Uniform, flush front design with even gap pattern. Push-to-open function for handle-less cabinet designs.

Product highlights

- Flexibility** Variable door dimensions for floor-to-ceiling, walk-in closets and composed cabinets – can be flexibly combined with the Hawa Concepta III
- Productivity** Easy installation thanks to high degree of pre-assembly and intuitive adjustment
- Aesthetics** Cabinet designs without handle – the technology remains invisible



Technical specifications

- 10–25 kg (22 to 55 lbs.)
- 1900–2700 mm (6' 2 13/16" to 8' 10 5/16")
- 350–750 mm (1' 5 5/16" to 2' 5 17/32")
- 18–26 mm (23/32" to 1 1/32")




Installation examples

Overlay door without base profile



** Recommendation: Use adjustable foot

Overlay door without base profile, 2 and 4 doors











2- and 4-door cabinets

Required components		Aluminum, anodized						Aluminum, black anodized					
													
													
Sets													
53440	Hawa Folding Concepta III V2 25 Push, set, left	1		1		1	1	1		1		1	1
53441	Hawa Folding Concepta III V2 25 Push, set, right		1		1	1	1		1		1	1	1
Track set cabinet													
53446	Hawa Folding Concepta III V2, track set, cabinet, left, floor connection	1				1		1				1	
53447	Hawa Folding Concepta III V2, track set, cabinet, right, floor connection		1			1			1			1	
53448	Hawa Folding Concepta III V2, track set, cabinet, left, composed cabinet			1			1			1			1
53449	Hawa Folding Concepta III V2, track set, cabinet, right, composed cabinet				1		1				1		1
Track set front													
53450	Hawa Folding Concepta III V2, track set, front, 2 doors, left, aluminum, anodized	1		1									
53451	Hawa Folding Concepta III V2, track set, front, 2 doors, right, aluminum, anodized		1		1								
53454	Hawa Folding Concepta III V2, track set, front, 4 doors, aluminum, anodized					1	1						
53455	Hawa Folding Concepta III V2, track set, front, 2 doors, left, black anodized							1		1			
53456	Hawa Folding Concepta III V2, track set, front, 2 doors, right, black anodized								1		1		
53459	Hawa Folding Concepta III V2, track set, front, 4 doors, black anodized											1	1
Upright set													
31520	Hawa Folding Concepta III 25, upright set, door height 1900–2700 mm, aluminum, anodized	1	1	1	1	2	2						
31527	Hawa Folding Concepta III 25, upright set, door height 1900–2700 mm, aluminum, black anodized							1	1	1	1	2	2
Accessories													
52726	Hawa Folding Concepta III 20, upright set, door height 1200–2200 mm, aluminum, black anodized					1	1					1	1
52109	Reinforcement profile for running track, front, 2765 mm, 4 doors, aluminum, anodized					1	1					1	1

Hawa Configurator

3-door cabinets

Required components		Aluminum, anodized				Aluminum, black anodized			
									
									
Sets									
53440	Hawa Folding Concepta III V2 25 Push, set, left	1		1		1		1	
53441	Hawa Folding Concepta III V2 25 Push, set, right		1		1		1		1
Track set cabinet									
53446	Hawa Folding Concepta III V2, track set, cabinet, left, floor connection	1				1			
53447	Hawa Folding Concepta III V2, track set, cabinet, right, floor connection		1				1		
53448	Hawa Folding Concepta III V2, track set, cabinet, left, composed cabinet			1				1	
53449	Hawa Folding Concepta III V2, track set, cabinet, right, composed cabinet				1				1
Track set front									
53452	Hawa Folding Concepta III V2, track set, front, 3 doors, left, aluminum, anodized	1		1					
53453	Hawa Folding Concepta III V2, track set, front, 3 doors, right, aluminum, anodized		1		1				
53457	Hawa Folding Concepta III V2, track set, front, 3 doors, left, black anodized					1		1	
53458	Hawa Folding Concepta III V2, track set, front, 3 doors, right, black anodized						1		1
Upright set									
31520	Hawa Folding Concepta III 25, upright set, door height 1900–2700 mm, aluminum, anodized	1	1	1	1				
31527	Hawa Folding Concepta III 25, upright set, door height 1900–2700 mm, aluminum, black anodized					1	1	1	1
Sets									
30996	Hawa Concepta III V2 35 Push/Pull, basic set, left, door height 1900–2700 mm		1		1		1		1
30997	Hawa Concepta III V2 35 Push/Pull, basic set, right, door height 1900–2700 mm	1		1		1		1	
Slide-in sets									
30998	Hawa Concepta III V2 25/35 Push, slide-in set, left		1		1		1		1
30999	Hawa Concepta III V2 25/35 Push, slide-in set, right	1		1		1		1	
Upright profile									
30771	Upright profile, for door height 1900–2700 mm, aluminum, anodized, L= 2474 mm	1	1	1	1	1	1	1	1
Accessories									
31005	Connector set 55 mm, exterior connection to cabinet, top and bottom	1	1	1	1	1	1	1	1
52110	Reinforcement profile for running track, front, 2085 mm, 3 doors, aluminum, anodized	1	1	1	1	1	1	1	1


For other Connector versions see cabinet connector parts

List of individual parts, which are included in the sets

Push set for 1 folding/slide-in door up to 25 kg (55 lbs.)

	No.
Hawa Folding Concepta III V2 25 Push, set, left	53440
Hawa Folding Concepta III V2 25 Push, set, right	53441

Set consisting of:

	53440	53441	No.
	1		53484
	1	1	52454
	1	1	52560
	1	1	53429
	1	1	52616
	4	4	30686
	4	4	52622
	4	4	30794
	1	1	53563
	1	1	52715
	1	1	52118
	1	1	52728

Continued table on next column

Table continued from previous column

	Screw set for Push-to-open and folding door soft closing mechanism	1	1	53432
	Screws for concealed hinges and center concealed hinges, 4x16 mm ((5/32''x 5/8''), set of 28 pieces	1	1	53475
	Slide-in unit Hawa Folding Concepta III V2 25 Push, right		1	53483
	Folding running gear	1	1	31313

Matching track set, cabinet, floor connection

	No.
Hawa Folding Concepta III V2, track set, cabinet, left, floor connection	53446
Hawa Folding Concepta III V2, track set, cabinet, right, floor connection	53447



	53446	53447	No.
Set consisting of:			
	1		31339
	1		31336
	1		31370
	1	1	30977
	3	3	31086
	1	1	31543
	1	1	31530
	1	1	53477
		1	31340
		1	31337
		1	31371

Matching track set, cabinet, composed cabinet

	No.
Hawa Folding Concepta III V2, track set, cabinet, left, composed cabinet	53448
Hawa Folding Concepta III V2, track set, cabinet, right, composed cabinet	53449




	53448	53449	No.
Set consisting of:			
	1		31339
	1		52718
	3	3	52719
	1		31370
	1	1	30977
	1	1	31543
	1	1	53431
	1	1	53476
	1	1	53478
		1	31340
		1	52720
		1	31371

Composed cabinet




Matching track set, 2-door and 4-door fronts, aluminum, anodized

	No.
Hawa Folding Concepta III V2, track set, front, 2 doors, left, aluminum, anodized	53450
Hawa Folding Concepta III V2, track set, front, 2 doors, right, aluminum, anodized	53451
Hawa Folding Concepta III V2, track set, front, 4 doors, aluminum, anodized	53454

Set consisting of:		53450	53451	53454	No.
	Running track front, aluminum, anodized, L= 1272 mm (4' 2 3/32")	1	1		31210
	Running track curve, left, aluminum, anodized, with plastic guide	1		1	53534
	Running track adapter, plastic, anthracite, set of 3 pieces	1	1		53471
	Running track curve, right, aluminum, anodized, with plastic guide		1	1	53535
	Running track front, aluminum, anodized, L= 2539 mm (8' 3 31/32")			1	31343
	Running track adapter, plastic, anthracite, set of 5 pieces			1	53473


Upright set, aluminum, anodized

	No.
Hawa Folding Concepta III 25, upright set, door height 1900–2700 mm (6' 2 13/16"– 8' 10 5/16"), aluminum, anodized	31520

Set consisting of:		31520	No.
	Upright profile, for door height 1900–2700 mm (6' 2 13/16"– 8' 10 5/16"), aluminum, anodized, L= 2474 mm (8' 1 13/32")	1	30771
	Cover panel for door joint, for door height 1900–2700 mm (6' 2 13/16"– 8' 10 5/16"), aluminum, anodized, L= 2700 mm (8' 10 5/16")	1	31232
	Retaining clip for cover panel 2700 mm, plastic, black, set of 8 pieces	1	31503

Matching track set, 3-door front, aluminum, anodized

	No.
Hawa Folding Concepta III V2, track set, front, 3 doors, left, aluminum, anodized	53452
Hawa Folding Concepta III V2, track set, front, 3 doors, right, aluminum, anodized	53453

Set consisting of:		53452	53453	No.
	Running track front, aluminum, anodized, L= 1954 mm (6' 4 15/16")	1	1	31341
	Running track curve, left, aluminum, anodized, with plastic guide	1		53534
	Running track adapter, plastic, anthracite, set of 4 pieces	1	1	53472
	Stop set 3 doors Push/Pull	1	1	31538
	Running track curve, right, aluminum, anodized, with plastic guide		1	53535

Matching track set, 2-door and 4-door fronts, aluminum, black anodized

	No.
Hawa Folding Concepta III V2, track set, front, 2 doors, left, black anodized	53455
Hawa Folding Concepta III V2, track set, front, 2 doors, right, black anodized	53456
Hawa Folding Concepta III V2, track set, front, 4 doors, black anodized	53459


Set consisting of:

	53455	53456	53459	No.
 Running track front, aluminum, black anodized, L= 1272 mm (4' 2 3/32")	1	1		31211
 Running track curve, left, aluminum, black anodized, with plastic guide	1		1	53536
 Running track adapter, plastic, anthracite, set of 3 pieces	1	1		53471
 Running track curve, right, aluminum, black anodized, with plastic guide		1	1	53537
 Running track front, aluminum, black anodized, L= 2539 mm (8' 3 31/32")			1	31344
 Running track adapter, plastic, anthracite, set of 5 pieces			1	53473

Upright set, aluminum, black anodized

	No.
Hawa Folding Concepta III 25, upright set, door height 1900–2700 mm (6' 2 13/16"– 8' 10 5/16"), aluminum, black anodized	31527


Set consisting of:

	31527	No.
 Upright profile, for door height 1900–2700 mm (6' 2 13/16"– 8' 10 5/16"), aluminum, anodized, L= 2474 mm (8' 1 13/32")	1	30771
 Cover panel for door joint, for door height 1900–2700 mm (6' 2 13/16"– 8' 10 5/16"), aluminum, black anodized	1	31233
 Retaining clip for cover panel 2700 mm, plastic, black, set of 8 pieces	1	31503

Matching track set, 3-door front, aluminum, black anodized

	No.
Hawa Folding Concepta III V2, track set, front, 3 doors, left, black anodized	53457
Hawa Folding Concepta III V2, track set, front, 3 doors, right, black anodized	53458



Set consisting of:

	53457	53458	No.
 Running track front, aluminum, black anodized, L= 1954 mm (6' 4 15/16")	1	1	31342
 Running track curve, left, aluminum, black anodized, with plastic guide	1		53536
 Running track adapter, plastic, anthracite, set of 4 pieces	1	1	53472
 Stop set 3 doors Push/Pull	1	1	31538
 Cover-up pen for cut edge, black	1	1	52117
 Running track curve, right, aluminum, black anodized, with plastic guide		1	53537

Reinforcement profiles

	mm (inch)	No.
 Reinforcement profile for running track, front, 2765 mm (9' 27/32"), 4 doors, aluminum, anodized	2,765 (9' 27/32")	52109
 Reinforcement profile for running track, front, 2085 mm (6' 10 3/32"), 3 doors, aluminum, anodized	2,085 (6' 10 3/32")	52110

Base profiles

	No.
 Base profile set, 2 doors, aluminum, anodized	52089
 Base profile set, 3 doors, aluminum, anodized	52090
 Base profile set, 4 doors, aluminum, anodized	52091
 Base profile set, 2 doors, aluminum, black anodized	52092
 Base profile set, 3 doors, aluminum, black anodized	52093
 Base profile set, 4 doors, aluminum, black anodized	52094


Accessories

		No.
	Routing jig for folding hinge	52121
	Magnetic centering part, with drilling jig, aluminium, anodized	24006
	Running track adapter with depth adjustment for 4-door composed cabinet, door widths larger than 550 mm (1' 9 21/32'')	52726
	Allen key, with handle, 3 mm (1/8'')	13164
	Allen key 4 mm, length 160 mm (6 5/16'')	19931

Automatic shut-off device

In order to ensure that electrical devices are safely shut off when doors are closed, we recommend the Hawa-specific SafetyBox from Halemeier, which is suitable for the entire Hawa Concepta III family.
www.halemeier.de

Magnetic centering parts



Straightening fitting

→ Details under accessories from page 307

Aluminum, untreated

	No.
Straightening fitting for doors 2040–2600 mm (6' 8 5/16"–8' 6 3/8"), aluminum, set of 2 pieces	056.3192.072
Straightening fitting for doors 1715–2275 mm (5' 7 17/32"–7' 5 9/16"), aluminum, can be shortened for doors smaller than 1715 mm (5' 7 17/32"), set of 2 pieces	056.3192.079

Aluminum, anodized

	No.
Straightening fitting for doors 2240–2850 mm (7' 4 3/16"–9' 4 7/32"), aluminum, anodized, set of 2 pieces	056.3192.071
Straightening fitting for doors 2040–2600 mm (6' 8 5/16"–8' 6 3/8"), aluminum, anodized, set of 2 pieces	056.3192.082

Aluminum, black anodized

	No.
Straightening fitting for doors 2240–2850 mm (7' 4 3/16"–9' 4 7/32"), aluminum, black anodized, incl. cover caps, set of 2 pieces	056.3192.074
Straightening fitting for doors 2040–2600 mm (6' 8 5/16"–8' 6 3/8"), aluminum, black anodized, set of 2 pieces	056.3192.075
Straightening fitting for doors 1715–2275 mm (5' 7 17/32"–7' 5 9/16"), aluminum, black anodized, can be shortened for doors smaller than 1715 mm (5' 7 17/32"), set of 2 pieces	056.3192.081

Hawa Straightening fitting




Aluminum, untreated
(without cover caps)

Aluminum, anodized
(with cover caps)



Aluminum, black anodized
(with cover caps)



Further installation examples
Composed cabinet overlay, 2 and 4 doors




Floor-to-ceiling doors without base panels,
2 doors and 4 doors



* Reinforcement profile for 3-door and 4-door systems without separating walls


** Recommendation: Use adjustable foot

Overlay door without base profile, 3 doors




* Reinforcement profile for 3-door and 4-door systems without separating walls

** Recommendation: Use adjustable foot



Overlay door with base profile, 2 and 4 doors




* Reinforcement profile for 3-door and 4-door systems without separating walls


** Recommendation: Use adjustable foot

Hardware depth calculation



Flush door



Protruding door



	mm	Inch
T2	TB + 92 + Z3 - M2	TB + 3 ³¹ / ₈ " + Z3 - M2
KT2	≥ T2	≥ T2
E2	TB - M2	TB - M2
M2 min.	≥ S + 75	≥ S + 2 ¹⁵ / ₁₆ "
M2 max.	≤ TB - 250	≤ TB - 9 ²⁷ / ₃₂ "



- S = Door thickness
- Z = Gap size
- E2 = Slide-in depth
- T2 = Hardware depth
- TB = Door width
- TH = Door height
- KT2 = Cabinet depth
- LMB = Inside clearance
- M2 = Door projection over cabinet

Instructions

Videos