



## Blum Clip Top Hinge – 45° Half Overlay Unsprung – Nickel – Screw-on

Variant code: 78A9658.T

**Blum CLIP top Hinge – 45° Half Overlay Unsprung – Nickel** is designed for cabinet doors installed on angled cabinet constructions where specialised hinge geometry is required to achieve correct door positioning. Manufactured by **Blum**, a recognised specialist in precision cabinet hardware, this hinge forms part of the reliable **CLIP top hinge system**, combining engineered performance with efficient installation and adjustment. The unsprung hinge mechanism allows free door movement, making it suitable for installations where self-closing action is not required or where external closing systems are used.

The hinge features a **45° hinge geometry**, enabling installation on angled cabinet layouts commonly found in corner cabinets and bespoke furniture designs. Designed for **half overlay cabinet door applications**, the hinge allows two cabinet doors to share a central cabinet panel while maintaining consistent door alignment and reveals. The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top attachment system**, enabling quick installation and straightforward removal when adjustment or maintenance is required.

Manufactured from steel with a durable **nickel-plated finish**, the hinge provides corrosion resistance and a neutral appearance suitable for most cabinet interiors. The hinge cup is **compatible with different boss fixing types depending on the selected variant**, allowing flexibility during installation depending on cabinet material, drilling preparation and manufacturing requirements.

---

### Product Features

- **45° hinge geometry** for angled cabinet installations
- **Unsprung hinge mechanism** allowing free door movement
- Designed for **half overlay cabinet door applications**
- Compatible with **multiple boss fixing**

- **types depending on variant**
- Durable **nickel-plated steel construction**
- **Tool-free CLIP top hinge attachment**
- **Three-dimensional adjustment capability**

---

## Product Benefits

- Allows installation on **angled cabinet layouts**
- Supports cabinet configurations requiring **45° door positioning**
- Provides installation flexibility through **different boss fixing options**
- Enables accurate door alignment and consistent gaps
- Compatible with **push-to-open or external closing systems**
- Suitable for residential and light commercial cabinetry

---

## Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Supports **different boss fixing types depending on variant**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **nickel-plated protective finish**
- Designed for integration within **Blum cabinet hardware systems**
- Correct hinge and mounting plate pairing ensures proper hinge performance

---

## Applications

This hinge is suitable for **half overlay cabinet doors installed on angled cabinet constructions**, commonly used in corner cabinets, diagonal cabinet layouts and bespoke furniture installations. The **45° hinge geometry** enables accurate door positioning within angled cabinet designs while maintaining smooth hinge movement. Compatibility with **different boss fixing types depending on variant** allows installation across a wide range of cabinet materials and manufacturing methods.

Property	Value
Finish	Nickel

<b>Property</b>	<b>Value</b>
-----------------	--------------

Opening angle (°)	45
-------------------	----

Application	Overlay
-------------	---------

Boss	Screw-on
------	----------

Closing Mechanism	Unsprung
-------------------	----------