



Blum Clip Top Hinge – 45° Overlay Unsprung – Nickel – Screw-on

Variant code: 79A5450.T

Blum CLIP top Hinge – 45° Overlay Unsprung – Nickel is designed for cabinet doors installed on angled cabinet constructions where specialised hinge geometry is required to achieve correct door positioning. Manufactured by **Blum**, a recognised specialist in cabinet hardware, this hinge forms part of the reliable **CLIP top hinge system**, combining precise engineering with efficient installation and adjustment. The unsprung hinge mechanism allows free door movement, making it suitable for installations where self-closing action is not required.

The hinge features a **45° hinge geometry**, allowing cabinet doors to be installed on angled cabinet layouts commonly used in corner cabinetry and bespoke furniture. Designed for **overlay cabinet door configurations**, the final overlay position is determined by the selected mounting plate, allowing flexibility across different cabinet constructions. The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top attachment system**, enabling fast installation and easy removal for adjustment.

Manufactured from steel with a durable **nickel-plated finish**, the hinge provides corrosion resistance and a neutral appearance suitable for most cabinet interiors. The hinge cup is **compatible with different boss fixing types depending on the selected variant**, allowing flexibility based on cabinet material and installation preference.

Product Features

- **45° hinge geometry** for angled cabinet installations
- **Unsprung hinge mechanism** allowing free door movement
- Designed for **overlay cabinet door applications**
- Compatible with **multiple boss fixing types depending on variant**
- Durable **nickel-plated steel construction**
- **Tool-free CLIP top hinge attachment**

- **Three-dimensional adjustment capability**

Product Benefits

- Allows hinge installation on **angled cabinet layouts**
- Supports cabinets requiring **45° door positioning**
- Provides flexibility through **different boss fixing options**
- Enables accurate door alignment and consistent gaps
- Compatible with **push-to-open or external closing systems**
- Suitable for residential and light commercial cabinetry

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Supports **different boss fixing types depending on variant**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **nickel-plated finish**
- Designed for integration within **Blum cabinet hardware systems**
- Correct hinge and mounting plate pairing ensures proper performance

Applications

Suitable for **overlay cabinet doors installed on angled cabinet constructions**, commonly used in corner units, diagonal cabinets and bespoke furniture. The **45° hinge geometry** allows correct door positioning while maintaining smooth hinge movement. Compatibility with **different boss fixing types depending on variant** enables installation across a wide range of cabinet materials and manufacturing methods.

Property	Value
Finish	Nickel
Opening angle (°)	45
Application	Overlay
Boss	Screw-on



SWS
HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

Property

Value

Closing Mechanism

Unsprung