SWS HARDWARE
Tel: 01626 333900
Email: info@swshardware.com



Blum Clip Top Hinge - 37° Overlay Sprung - Nickel - Screw-on

Variant code: 79A9557.T

Blum CLIP top Hinge - 37° Overlay Sprung - Nickel is designed for cabinet doors installed on angled cabinet constructions where specialised hinge geometry is required to achieve correct door positioning and reliable operation. Manufactured by **Blum**, a recognised specialist in precision cabinet hardware, this hinge forms part of the dependable **CLIP top hinge system**, combining engineered reliability with efficient installation and adjustment. The integrated sprung mechanism provides consistent self-closing action, ensuring smooth and controlled door closing during everyday use.

The hinge incorporates a **37° hinge geometry**, making it suitable for angled cabinet layouts commonly used in corner cabinets and custom furniture designs. Designed for **overlay cabinet door applications**, the final overlay position is determined by the selected mounting plate, allowing flexibility across a range of cabinet constructions. The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top attachment system**, enabling fast installation and simple removal for adjustment or maintenance.

Manufactured from steel with a durable **nickel-plated finish**, the hinge offers corrosion resistance and a neutral appearance suitable for most cabinet interiors. The hinge cup is **compatible with different boss fixing types depending on the selected variant**, allowing flexibility during installation depending on cabinet material, drilling preparation and manufacturing requirements.

Product Features

- **37° hinge geometry** for angled cabinet installations
- Integrated **sprung self-closing mechanism**
- Designed for **overlay cabinet door applications**
- Compatible with **multiple boss fixing types depending on variant**
- Durable **nickel-plated steel**

SWS HARDWARE
Tel: 01626 333900
Email: info@swshardware.com

construction
- **Tool-free CLIP top hinge attachment**
- **Three-dimensional adjustment capability**

Product Benefits

- Supports cabinets requiring **37° door positioning**
- Provides reliable **self-closing hinge performance**
- Allows installation flexibility through **different boss fixing options**
- Enables precise door alignment and consistent gaps
- Suitable for angled cabinet layouts and custom furniture
- Appropriate for residential and light commercial cabinetry

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Supports **different boss fixing types depending on variant**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **nickel-plated protective finish**
- Designed for integration within **Blum cabinet hardware systems**
- Correct hinge and mounting plate pairing ensures optimal hinge performance

Applications

This hinge is suitable for **overlay cabinet doors installed on angled cabinet constructions**, commonly used in corner cabinets, diagonal cabinet layouts and bespoke furniture. The **37° hinge geometry** allows correct door positioning within angled cabinet designs while maintaining smooth hinge movement. Compatibility with **different boss fixing types depending on variant** allows installation across a wide range of cabinet materials and manufacturing methods.

Property	Value
Finish	Nickel
Opening angle (°)	37
Application	Overlay

SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

Property	Value
Boss	Screw-on
Closing Mechanism	Sprung