Tel: 01626 333900
Email: info@swshardware.com



Blum Clip Top Hinge - 94 ° Glass Door Inset Sprung - Black/Nickel - Screw-on

Variant code: 75T4300

Blum CLIP top Hinge - 94° Glass Door Inset Sprung - Nickel is designed for cabinetry incorporating inset glass doors where reliable hinge performance and controlled self-closing action are required. As part of the **Blum CLIP top hinge system**, this hinge delivers precision engineering, consistent operation and straightforward installation, supporting professional cabinet and furniture construction using glass door panels.

The hinge features a **94° opening angle**, providing controlled access to cabinet interiors while maintaining stable hinge movement. Designed specifically for **inset glass cabinet doors**, the hinge allows the door to sit flush within the cabinet frame, creating clean furniture lines and precise reveals. The integrated **sprung hinge mechanism** ensures dependable self-closing performance, allowing the door to close smoothly and consistently during everyday use.

The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, enabling fast installation and simple removal during cabinet fitting or adjustment. Integrated **three-dimensional adjustment** allows accurate vertical, lateral and depth positioning to achieve precise door alignment and consistent gaps across glass-front cabinetry.

This variant uses **Screw-on boss fixing**, providing secure mechanical attachment where the hinge bracket is mounted to the cabinet structure while the glass door is secured using the appropriate glass fixing method. Manufactured from durable steel with a **nickel-plated finish**, the hinge offers corrosion resistance and a neutral appearance suitable for a wide range of cabinet styles and interior environments.

Product Features

- **94° opening angle** for controlled cabinet access
- Designed for **inset glass cabinet door**

Tel: 01626 333900
Email: info@swshardware.com

applications

- **Integrated sprung hinge mechanism** for self-closing action
- **Screw-on boss fixing**
- Durable **nickel-plated steel finish**
- Part of the **Blum CLIP top hinge system**
- **Tool-free CLIP hinge attachment**
- **Three-dimensional adjustment capability**

Product Benefits

- Provides reliable **self-closing door performance**
- Supports clean **flush inset cabinet aesthetics**
- Enables stable installation for **glass cabinet doors**
- Allows precise door alignment and consistent reveals
- Integrates seamlessly within the **Blum hinge platform**
- Suitable for residential cabinetry and display furniture

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed for **inset glass cabinet door construction**
- **Screw-on fixing requires correct drilling preparation for cabinet mounting**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **nickel protective finish**
- Compatible with appropriate **glass door**

Tel: 01626 333900
Email: info@swshardware.com

hinge mounting systems

Applications

This hinge is intended for **inset glass cabinet door installations** in kitchens, display cabinets, furniture and retail joinery where reliable hinge performance and accurate door alignment are required. The **94° opening angle** allows controlled cabinet access while maintaining stable hinge operation, and the **sprung hinge mechanism** ensures dependable self-closing performance for glass-front cabinetry.

Property	Value
Finish	Nickel
Opening angle (°)	94
Application	Inset
Boss	Screw-on
Closing Mechanism	Sprung
Hinge Type	Glass Door