



## Blum Clip Top Mini Hinge – 94° Inset Sprung – Nickel – Screw-on

**Variant code: 71T0750**

Blum CLIP top MINI Hinge – 94° Inset Sprung – Nickel is engineered for compact cabinet applications where space is limited but reliable performance remains essential. As part of the Blum CLIP top MINI range, this hinge is specifically developed for smaller cabinet constructions and lightweight doors, delivering dependable operation within reduced installation depths. The integrated **sprung mechanism** ensures consistent self-closing action without the need for additional components.

With a **94° opening angle**, this hinge provides controlled access suitable for inset cabinet configurations. Designed for **inset doors**, it allows the door to sit flush within the cabinet frame, maintaining clean lines and precise reveals in fitted furniture and specialist joinery. The MINI format is particularly suited to cabinets with restricted internal depth where standard hinge dimensions may not be appropriate.

The hinge clips securely onto compatible Blum CLIP top mounting plates using a tool-free mechanism, allowing efficient installation and straightforward removal for adjustment or maintenance. The **Screw-on fixing** provides secure mechanical retention within the door and requires accurate hinge cup preparation. Manufactured from durable nickel-plated steel, it offers a neutral finish suitable for a wide range of cabinetry styles.

---

### Product Features

- **94° opening angle** for controlled cabinet access
- Compact **CLIP top MINI design**
- Integrated **sprung mechanism** for self-closing action
- Designed for **inset door applications**
- **Screw-on fixing**

- Durable **nickel-plated finish**
- Compatible with Blum **CLIP top mounting plates**
- Three-dimensional adjustment capability

---

## Product Benefits

- Provides reliable self-closing performance in compact cabinets
- Supports clean flush inset aesthetics
- Suitable for reduced cabinet depths
- Ensures secure hinge retention with mechanical fixing
- Enables precise alignment and consistent door gaps
- Ideal for specialist or space-restricted joinery projects

---

## Technical Characteristics

- Requires compatible Blum CLIP top mounting plates
- Screw-on fixing requires accurate hinge cup drilling preparation
- Designed for compact cabinet constructions
- Adjustable vertically, laterally and in depth
- Suitable for lightweight inset doors
- Correct hinge and mounting plate pairing ensures optimal performance

---

## Applications

This hinge is intended for inset cabinet door installations in compact or reduced-depth cabinetry where a standard hinge may not be suitable. The **CLIP top MINI design** makes it particularly appropriate for small storage units, bathroom furniture, display cabinets and bespoke joinery requiring reliable self-closing performance

within limited space. The integrated sprung mechanism ensures dependable operation in residential and light commercial environments requiring durable, precision-aligned hardware.

| <b>Property</b>          | <b>Value</b> |
|--------------------------|--------------|
| Finish                   | Nickel       |
| Opening angle (°)        | 94           |
| Application              | Inset        |
| Boss                     | Screw-on     |
| Closing Mechanism        | Sprung       |
| Boss Drilling Depth (mm) | 12.5         |
| Max Door Thickness (mm)  | 22           |
| Hinge Type               | Frame door   |