



Button-fix™ – Type 2 – Fix for 90° Panels + Button for CSK Wood Screw – Pack of 100

Variant code: 171-004-11

Button-fix™ Type 2: The Ultimate 90° Panel Fastener for Seamless Access

Say goodbye to visible screws and complicated fittings! The **Button-fix™ Type 2 Fix for 90° Panels + Button for CSK Wood Screw** is the award-winning, **concealed panel fixing system** designed to revolutionise your interior fit-outs, furniture assembly, and access panel installations. Engineered for **straight push-on engagement**, this durable nylon fastener provides a secure, yet effortlessly **removable panel solution** for professionals and DIY enthusiasts alike.

Key Features

Feature	Benefit
90° Panel Connection	Perfectly joins panels perpendicular to a frame or carcass.
Straight Push-On Engagement	Simple, fast installation—no tricky drop-down or side clearance needed.
Effortlessly Removable	Allows easy access to concealed services like plumbing or wiring.
Completely Concealed	Ensures a flawless, professional, screw-free finish .
Durable Nylon Construction	Moulded from high-grade DuPont Zytel® nylon for long-lasting performance.
Ideal for Service Panels	The top choice for bath panels, radiator covers , and inspection hatches.

Technical Specifications

- **Material (Fix):** Zytel® Nylon 66 (Durable, high-performance polymer)
- **Material (Button):** 30% Glass-Filled Nylon PA6 (High rigidity and strength)



- **Connection Angle:** 90° to a frame, carcass, or stud work.
- **Engagement Type:** Straight Push-On (Click-fit)
- **Fixing Type:** Screw-Fixed (For use with CSK/Countersunk Wood Screws – *Screws sold separately*)
- **Minimum Panel Thickness:** 10mm
- **Guide Load:** Up to 60 kg (with 4 x Fixes, subject to proper screw/substrate matching)
- **Manufactured:** Made in the UK

Typical uses include:

- Plumbing or electrical services access panels
- Bath panels
- Demountable furniture
- Acoustic panels
- Light boxes.

Frequently Asked Questions (FAQ)

Q1: What are the main applications for the Button-fix Type 2?

The Type 2 is specifically designed for applications where **panels need to be easily and repeatedly removed** without any clearance above or at the side. It's the **best choice** for **plumbing and electrical service access panels, removable bath panels**, radiator covers, demountable furniture, and boxing-in pipework.

Q2: Does the Type 2 require a drop-down movement for engagement?

No, the Type 2 is unique for its **straight push-on engagement**. This makes it perfect for fittings where there is absolutely no space for lifting or sliding the panel into place. Simply push the panel straight onto the frame until you hear the satisfying 'click'.

Q3: How does Button-fix Type 2 compare to Keku Clips?

While both offer concealed panel fixing, users often find the **Button-fix Type 2 easier to align and install**, especially when using the optional **Fix Marker tool** (sold separately), which eliminates the need for measuring. Button-fix is also moulded from extremely **durable nylon** (Zytel®), which many users find more robust and less prone to snapping than certain competing plastic clip systems. Furthermore, the straight push-on action of the Type 2 is often simpler for access panels than the slide-down engagement required by

many Keku-style fittings.

Q: Can I use the Button-fix Type 2 on ceiling panels?

No. The Button-fix Type 2 is designed for vertical or furniture applications where the panel is pushed onto a 90° frame. For horizontal, downward-facing applications like **ceiling panels**, we strongly recommend using the **Button-fix Type 1** which features a secure drop-down engagement.

Installation & User Confidence

The Button-fix system simplifies complex joinery. The **blue Button** is designed with a tapered flange to provide a generous lead-in, making alignment simple and fast. When coupled with the optional **Fix Marker** accessory (not included), installation can be achieved with **unprecedented speed and accuracy**, significantly reducing fitting time on site. Achieve a **secure, professional, and easily maintainable** finish every time.