
SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com



Blum Clip Top Hinge - 107° Inset Sprung - Nickel - Screw-on

Variant code: 75T1750

Blum CLIP top Hinge - 107° Inset Sprung - Nickel is designed for cabinet installations requiring reliable self-closing performance in inset door applications. As part of the **Blum CLIP top hinge system**, this hinge combines precision engineering with straightforward installation and adjustment, delivering dependable operation for professional cabinetry and furniture construction.

The hinge provides a **107° opening angle**, offering practical access to cabinet interiors while maintaining stable hinge performance. Designed specifically for **inset cabinet doors**, it allows the door to sit flush within the cabinet opening, supporting clean architectural lines and precise door reveals. The integrated **sprung hinge mechanism** ensures consistent self-closing action during everyday use.

The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, allowing quick installation and easy removal during cabinet fitting or adjustment. Integrated **three-dimensional adjustment** enables precise vertical, lateral and depth positioning to achieve accurate door alignment and consistent gaps between cabinet doors.

This hinge is available with **Screw-on and Inserta boss fixing options**, providing flexibility depending on installation method and manufacturing requirements. **Screw-on fixing** provides secure mechanical retention within the cabinet door, while **Inserta fixing** uses integrated expansion dowels to allow fast installation into pre-drilled hinge cup holes without additional screws. Manufactured from durable steel with a **nickel-plated finish**, the hinge offers corrosion resistance and a clean, neutral appearance suitable for a wide range of cabinetry interiors.

Product Features

- **107° opening angle** for practical cabinet access
- **Integrated sprung hinge mechanism** for

Tel: 01626 333900
Email: info@swshardware.com

self-closing action

- Designed for **inset cabinet door applications**
- **Boss fixing options: Screw-on and Inserta**
- Durable **nickel-plated steel finish**
- Part of the **Blum CLIP top hinge system**
- **Tool-free CLIP hinge attachment**
- **Three-dimensional adjustment capability**

Product Benefits

- Provides **reliable and consistent self-closing door operation**
- Supports **flush inset cabinet designs** with clean reveals
- Offers installation flexibility with **Screw-on or Inserta boss fixing**
- Enables precise door alignment and consistent gaps
- Integrates seamlessly within the **Blum hinge platform**
- Suitable for residential and light commercial cabinetry

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed for **inset cabinet door construction**
- **Screw-on fixing requires correct hinge cup drilling preparation**
- **Inserta fixing uses expansion dowels for quick installation**
- Adjustable vertically, laterally and in depth

SWS HARDWARE
Tel: 01626 333900
Email: info@swshardware.com

- Steel hinge construction with **nickel protective finish**
- Correct hinge and mounting plate pairing ensures optimal door performance

Applications

This hinge is intended for **inset cabinet door installations** in kitchens, wardrobes, fitted furniture and bespoke joinery where reliable self-closing hinge performance and accurate door alignment are required. The **107° opening angle** provides practical access to cabinet interiors while maintaining flush inset door positioning. The **Screw-on and Inserta fixing options** allow flexibility for both cabinet manufacturing and on-site installation environments.

Property	Value
Finish	Nickel
Opening angle (°)	107
Application	Inset
Boss	Screw-on
Closing Mechanism	Sprung
Boss Drilling Depth (mm)	11.5
Max Door Thickness (mm)	24
Hinge Type	Standard