



## Blum Clip Top Hinge – 110° Overlay BLUMOTION Sprung – Nickel – Inserta

Variant code: 71B3590-NI

The **Blum CLIP top BLUMOTION 110° concealed hinge** is designed for **full overlay cabinet doors**, delivering smooth soft-close performance combined with fast, accurate installation. With a **110° opening angle**, it provides generous access to cabinet interiors while maintaining controlled, quiet closing in everyday use.

BLUMOTION technology is fully integrated into the hinge, gently decelerating the door during the final phase of closing to prevent slamming and reduce wear on furniture components. Where required, the soft-close function can be **deactivated**, allowing flexibility for lighter doors or specific design requirements.

The **CLIP top mechanism** allows the hinge to be mounted and removed from the mounting plate **without tools**, significantly reducing installation and adjustment time. Three-dimensional adjustment supports precise door alignment, helping achieve consistent reveal gaps and a professional finished appearance. Manufactured from **nickel-plated steel**, the hinge is engineered for durability and reliable performance in high-use furniture applications.

---

### Product Features

- Concealed hinge for **full overlay cabinet doors**
- Integrated **BLUMOTION soft-close technology**
- **110° opening angle** for improved cabinet access
- **CLIP top design** for tool-free mounting and removal
- Soft-close function can be **deactivated when required**
- Three-dimensional adjustment for accurate door alignment

---

## Product Benefits

- Provides smooth, quiet closing for enhanced user comfort
- Prevents door slamming and reduces long-term cabinet wear
- Speeds up installation and on-site adjustment
- Supports consistent, professional door alignment
- Flexible performance across a range of door sizes and weights
- Suitable for high-use residential and commercial furniture

---

## Technical Characteristics

- Hinge type: **CLIP top BLUMOTION concealed hinge**
- Opening angle: **110°**
- Application: **Full overlay doors**
- Soft-close: **Integrated, switchable**
- Adjustment: **Side, height and depth**
- Material: **Nickel-plated steel**
- Compatible with **Blum CLIP mounting plates**

---

## Applications

This hinge is used in **kitchen cabinets, wardrobes, and bespoke furniture** where smooth soft-close performance, reliable alignment, and efficient installation are required. It is well suited to **residential kitchens, fitted furniture, and high-use cabinetry**, supporting both standard and premium furniture builds where durability and adjustment stability are essential.

Property	Value
Finish	Nickel

Property	Value
Opening angle (°)	110
Application	Overlay
Boss	Inserta
Closing Mechanism	Soft Close
Boss Drilling Depth (mm)	13
Max Door Thickness (mm)	26
Type	Standard