



Blum Clip Top Hinge – 125° Nil Protrusion Overlay BLUMOTION Sprung – Onyx Black – Screw-on

Variant code: 71B7550D-OB

The **Blum CLIP top BLUMOTION 125° inset hinge** is designed for cabinetry requiring a wider-than-standard opening angle combined with integrated soft-close performance. As part of Blum's CLIP top system, the hinge incorporates **BLUMOTION soft-close technology** directly within the hinge cup, delivering smooth and controlled closing without additional components.

The **125° opening angle** provides improved access compared to standard 110° hinges while maintaining stability in inset applications. Designed specifically for **inset cabinet doors**, it positions the door flush within the cabinet frame, supporting precise architectural lines and consistent reveals. The hinge attaches to compatible CLIP top mounting plates using Blum's tool-free clip mechanism, allowing efficient installation and removal during fitting or adjustment.

Finished in **Onyx Black**, this hinge enables coordinated specification in contemporary dark cabinetry schemes while maintaining full compatibility within the Blum hinge platform. Three-dimensional adjustment ensures accurate alignment across height, side and depth.

Product Features

- **125° opening angle** for enhanced cabinet access
- Integrated **BLUMOTION soft-close mechanism**
- Designed for **inset door applications**
- Finished in **Onyx Black**
- Compatible with Blum **CLIP top mounting plates**
- Three-dimensional adjustment capability
- Available in multiple **boss fixing types**



Product Benefits

- Provides smooth and controlled door closing
- Improves access compared to standard opening hinges
- Supports flush inset cabinet aesthetics
- Enables precise alignment and clean reveals
- Coordinates with contemporary dark cabinetry designs
- Suitable for residential and light commercial interiors

Technical Characteristics

- Requires compatible Blum CLIP top mounting plates
- Boss fixing type determines drilling preparation method
- Adjustable vertically, laterally and in depth
- Designed for integration within Blum cabinet systems
- Suitable for standard inset cabinet constructions
- Correct hinge and plate pairing ensures optimal performance

Applications

This hinge is intended for inset cabinet door installations in kitchens, bedrooms and bespoke fitted furniture. The 125° opening angle provides improved usability while maintaining the controlled movement expected from integrated soft-close technology. It is particularly suitable for contemporary cabinetry designs where flush inset doors and coordinated dark hardware finishes are specified.

Property	Value
Finish	Onyx Black
Opening angle (°)	125
Application	Overlay
Boss	Screw-on
Closing Mechanism	Soft Close
Boss Drilling Depth (mm)	11.7
Max Door Thickness (mm)	39
Hinge Type	Profile Door