



## Blum Clip Top Hinge – 125° Nil Protrusion Overlay BLUMOTION Sprung – Nickel – Screw-on

Variant code: 71B7550D

Blum CLIP top BLUMOTION 125° inset hinge is designed for cabinetry requiring a wider opening angle combined with integrated soft-close performance. As part of Blum's CLIP top hinge system, it incorporates **BLUMOTION soft-close technology** within the hinge cup, ensuring smooth and controlled closing without additional damping components.

The **125° opening angle** provides improved access compared to standard hinges, while maintaining stability in inset door applications. Designed specifically for **inset cabinet doors**, it allows the door to sit flush within the cabinet frame, supporting precise cabinet lines and consistent reveals. The hinge clips securely onto compatible CLIP top mounting plates using Blum's tool-free attachment system, allowing efficient installation and removal during fitting or adjustment.

Finished in **nickel-plated steel**, this hinge delivers a clean, neutral appearance suitable for both contemporary and traditional cabinetry schemes. Three-dimensional adjustment allows precise vertical, lateral and depth alignment during installation.

---

### Product Features

- **125° opening angle** for enhanced cabinet access
- Integrated **BLUMOTION soft-close mechanism**
- Designed for **inset door applications**
- Nickel-plated steel finish
- Compatible with Blum **CLIP top mounting plates**
- Three-dimensional adjustment capability
- Available in multiple **boss fixing types**

---

## Product Benefits

- Provides smooth and controlled door closing
- Improves cabinet access compared to standard hinges
- Supports flush inset cabinet aesthetics
- Enables precise alignment and consistent reveals
- Offers a neutral finish suitable for varied cabinetry styles
- Suitable for residential and light commercial interiors

---

## Technical Characteristics

- Requires compatible Blum CLIP top mounting plates
- Boss fixing type determines drilling preparation method
- Adjustable vertically, laterally and in depth
- Designed for integration within Blum cabinet systems
- Suitable for standard inset cabinet constructions
- Correct hinge and mounting plate pairing ensures optimal performance

---

## Applications

This hinge is intended for inset cabinet door installations in kitchens, bedrooms and bespoke fitted furniture. The 125° opening angle provides improved accessibility while maintaining controlled soft-close performance. It is commonly specified in residential and light commercial cabinetry projects where flush door alignment and long-term reliability are required.

<b>Property</b>	<b>Value</b>
Finish	Nickel
Opening angle (°)	125
Application	Overlay
Boss	Screw-on
Closing Mechanism	Soft Close
Boss Drilling Depth (mm)	11.7
Max Door Thickness (mm)	39
Hinge Type	Profile Door