



Blum Clip Top Hinge – 94° Glass Door Overlay Sprung – Nickel – Screw-on

Variant code: 75T4100

Blum CLIP top Hinge – 94° Glass Door Overlay Sprung – Nickel is specifically designed for overlay cabinet doors with glass panels, providing reliable hinge performance while protecting delicate door materials. As part of the **Blum CLIP top hinge system**, this hinge delivers precise adjustment, durable construction and efficient installation for cabinetry incorporating glass door fronts.

The hinge provides a **94° opening angle**, offering controlled access to cabinet interiors while maintaining stable hinge movement. Designed for **overlay glass cabinet doors**, the hinge allows the door to sit over the cabinet side while maintaining clean cabinet lines. The integrated **sprung hinge mechanism** ensures consistent self-closing action, supporting smooth and dependable door operation.

The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, enabling fast installation and simple removal during cabinet fitting or adjustment. Integrated **three-dimensional adjustment** allows accurate vertical, lateral and depth positioning to achieve precise door alignment and consistent reveals across glass-front cabinetry.

This variant uses **Screw-on boss fixing**, providing secure mechanical attachment where the hinge bracket is fixed to the cabinet structure while the glass door is secured using the appropriate glass hinge mounting method. Manufactured from durable steel with a **nickel-plated finish**, the hinge offers corrosion resistance and a neutral appearance suitable for both traditional and contemporary cabinetry.

Product Features

- **94° opening angle** for controlled cabinet access
- Designed for **overlay glass cabinet doors**



- **Integrated sprung hinge mechanism** for self-closing action
- **Screw-on boss fixing**
- Durable **nickel-plated steel finish**
- Part of the **Blum CLIP top hinge system**
- **Tool-free CLIP hinge attachment**
- **Three-dimensional adjustment capability**

Product Benefits

- Supports secure installation for **glass cabinet door applications**
- Provides reliable **self-closing door operation**
- Ensures stable hinge performance for delicate door materials
- Enables precise door alignment and consistent reveals
- Integrates seamlessly within the **Blum hinge platform**
- Suitable for residential and display cabinetry installations

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed for **overlay glass cabinet door construction**
- **Screw-on fixing requires correct drilling preparation for the cabinet side**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **nickel protective finish**
- Compatible with appropriate **glass door hinge mounting systems**

Applications

This hinge is intended for **overlay glass cabinet door installations** in kitchens, display cabinets, furniture and retail joinery where reliable hinge performance and precise door alignment are required. The **94° opening angle** provides controlled access while maintaining stable hinge operation, and the **sprung mechanism** ensures dependable self-closing performance. The hinge is suitable for cabinetry incorporating glass door fronts where durability, adjustment capability and clean visual integration are important.

Property	Value
Finish	Nickel
Opening angle (°)	94
Application	Overlay
Boss	Screw-on
Closing Mechanism	Sprung
Hinge Type	Glass Door