
SWS HARDWARE
Tel: 01626 333900
Email: info@swshardware.com



Blum Clip Top Hinge - 95° Blind Corner Inset Sprung - Nickel - Inserta

Variant code: 79T9590B

Blum CLIP top Hinge - 95° Blind Corner Inset Sprung - Nickel is designed for cabinet installations where inset doors are used within **blind corner cabinet configurations**, providing reliable hinge performance and consistent self-closing action. As part of the **Blum CLIP top hinge system**, this hinge combines durable construction with precise adjustment capability, supporting professional cabinetry and furniture manufacturing.

The hinge features a **95° opening angle**, making it particularly suitable for **blind corner cabinet layouts** where cabinet geometry restricts wider opening hinges. Designed for **inset cabinet doors**, the hinge allows the door to sit flush within the cabinet frame, maintaining clean furniture lines and precise door reveals. The integrated **sprung hinge mechanism** ensures dependable self-closing performance, helping cabinet doors close smoothly during everyday use.

The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, enabling quick installation and easy removal during cabinet fitting or adjustment. Integrated **three-dimensional adjustment** allows precise vertical, lateral and depth positioning to achieve accurate door alignment and consistent gaps across cabinetry.

This variant uses **Inserta boss fixing**, allowing fast installation into pre-drilled hinge cup holes using integrated expansion dowels. The Inserta system eliminates the need for fixing screws while ensuring secure hinge retention within the cabinet door. Manufactured from durable steel with a **nickel-plated finish**, the hinge provides corrosion resistance and a clean appearance suitable for a wide range of cabinet interiors while remaining fully compatible with the Blum hinge platform.

Product Features

- **95° opening angle** suitable for blind corner cabinet installations

Tel: 01626 333900
Email: info@swshardware.com

- **Integrated sprung hinge mechanism** for reliable self-closing action
- Designed for **blind corner inset cabinet door applications**
- **Inserta boss fixing with expansion dowels**
- Durable **nickel-plated steel finish**
- Compatible with **Blum CLIP top mounting plates**
- **Tool-free CLIP hinge attachment system**
- **Three-dimensional hinge adjustment capability**

Product Benefits

- Enables reliable hinge operation in **blind corner cabinet layouts**
- Provides consistent **self-closing door performance**
- Allows rapid installation using **Inserta expansion dowel fixing**
- Supports clean **flush inset cabinet aesthetics**
- Enables precise door alignment and professional cabinet finishing
- Integrates seamlessly within the **Blum hinge platform**

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed for **inset cabinet door construction**
- **Inserta fixing requires accurate hinge cup drilling preparation**
- Adjustable vertically, laterally and in depth

Tel: 01626 333900
Email: info@swshardware.com

- Manufactured from **steel with nickel-plated protective finish**
- Correct hinge and mounting plate pairing ensures optimal hinge performance

Applications

This hinge is intended for **blind corner cabinet installations** where inset doors are used and cabinet geometry limits hinge opening angles. The **95° opening angle** ensures controlled door movement in confined cabinet layouts, while the **sprung hinge mechanism** provides dependable self-closing performance. The **Inserta boss fixing** enables fast and consistent installation in cabinet manufacturing environments, making it suitable for kitchens, fitted furniture and bespoke joinery projects requiring durable and precisely adjustable cabinet hardware.

Property	Value
Finish	Nickel
Opening angle (°)	95
Application	Inset
Boss	Inserta
Closing Mechanism	Sprung
Hinge Type	Blind Corner