
SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com



Blum Clip Top Hinge - 95° Blind Corner Inset BLUMOTION Sprung - Nickel - Screw-on

Variant code: 79B9550-NI

Blum CLIP top Hinge - 95° Blind Corner Inset BLUMOTION Sprung - Nickel is engineered for cabinet doors installed in blind corner cabinet constructions where specialised hinge geometry is required to achieve correct door alignment and smooth operation. Part of the **Blum CLIP top BLUMOTION hinge system**, this hinge integrates soft-close technology directly into the hinge mechanism, ensuring controlled and quiet door closing without the need for additional damping components. Manufactured to Blum's precision engineering standards, it delivers reliable performance in complex cabinet layouts.

The hinge features a **95° opening angle**, allowing practical access while maintaining controlled door movement within restricted blind corner cabinet configurations. Designed for **inset cabinet door applications**, it allows the cabinet door to sit flush within the cabinet frame while maintaining the necessary clearance for blind corner installations. The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, enabling efficient installation and simple removal for adjustment or maintenance.

Manufactured from durable steel with a **nickel-plated finish**, the hinge provides corrosion resistance and a neutral appearance suitable for most cabinet interiors. The hinge cup is designed to be **compatible with different boss fixing types depending on the selected variant**, allowing flexibility during installation based on cabinet material and manufacturing requirements.

Product Features

- **95° opening angle** for blind corner cabinet applications
- Integrated **BLUMOTION soft-close mechanism**
- Designed for **blind corner inset cabinet doors**

SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

- Compatible with **multiple boss fixing types depending on variant**
- Durable **nickel-plated finish**
- **Tool-free CLIP hinge attachment**
- **Three-dimensional adjustment capability**

Product Benefits

- Provides smooth and quiet **soft-closing door operation**
- Enables hinge installation in **blind corner cabinet layouts**
- Supports clean and precise **inset cabinet design**
- Allows flexible installation through **different boss fixing options**
- Ensures accurate door alignment and consistent reveals
- Suitable for residential and light commercial cabinetry

Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed to support **different boss fixing types depending on variant**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **nickel-plated protective finish**
- Suitable for **blind corner inset cabinet constructions**
- Correct hinge and mounting plate pairing ensures optimal performance

Applications

Suitable for **blind corner inset cabinet doors**

SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

used in kitchens, storage units and bespoke furniture where specialised hinge geometry is required to allow correct door movement within restricted cabinet spaces. The integrated **BLUMOTION soft-close mechanism** ensures controlled and quiet door closing, while compatibility with **different boss fixing types depending on variant** allows installation across a variety of cabinet materials and manufacturing methods. The **nickel-plated finish** provides durability and a neutral appearance suited to most cabinetry interiors.

Property	Value
Finish	Nickel
Opening angle (°)	95
Application	Inset
Boss	Screw-on
Closing Mechanism	Sprung
Boss Drilling Depth (mm)	13
Hinge Type	Blind Corner