SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com



DIN Euro Profile Dead Lock Case, 60mm b/s - Satin Stainless Steel - Radius Forends

Variant code: 2405.02R.SSS

The **DIN Euro Profile Dead Lock Case** is a high-performance architectural locking solution designed for use with Euro profile cylinders in commercial, residential and public buildings. Featuring a **60mm backset** and a premium **Satin Stainless Steel (SSS)** finish, this deadlock provides secure, dependable locking while meeting the demanding requirements of modern architectural door hardware. Designed to DIN standards, it is suitable for a wide range of timber fire door applications.

Manufactured with a robust **stainless steel double throw deadbolt**, the lock offers enhanced security and smooth operation. Supplied complete with an **anti-rattle strike plate and dust box**, it ensures quieter closing and a professional installation. Available with either **square or radius forend profiles**, every lock case is factory quality-control tested and certified to **BS EN 12209:2003**, **Certifire CF850**, and is suitable for **FD30 and FD60 timber fire doors**. The lock is also **CE marked** and backed by a **10-year mechanical guarantee** for long-term reliability.

Ideal for new-build developments, commercial fit-outs and refurbishment projects, the DIN Euro Profile Dead Lock Case delivers certified fire performance, dependable security and exceptional durability for professional door installations.

Product Features

- DIN Euro profile dead lock case with 60mm backset
- Case size: 90mm x 165mm
- Forend dimensions: 235 x 22 x 3mm
- Stainless steel double throw deadbolt
- Supplied with anti-rattle strike plate and dust box
- Available with square or radius forend profiles
- Factory quality-control tested
- Tested to BS EN 12209:2003
- Suitable for FD30 & FD60 timber fire

Tel: 01626 333900
Email: info@swshardware.com

doors
- Certifire approved – CF850
- CE marked
- 10-year mechanical guarantee

Product Benefits

- **Provides secure locking with a durable stainless steel double throw deadbolt**
- **Certified for use on FD30 and FD60 timber fire doors with BS EN 12209 and Certifire CF850 approval**
- **Supplied with an anti-rattle strike plate and dust box for quieter, professional installations**
- Designed for compatibility with Euro profile cylinders
- Available with square or radius forend profiles to suit different door preparations
- Factory tested to ensure consistent quality and reliable operation
- CE marked for compliance with recognised industry standards
- Backed by a 10-year mechanical guarantee for added confidence

Technical Characteristics

- Product Type: DIN Euro Profile Dead Lock Case
- Backset: 60mm
- Case Size: 90mm x 165mm
- Forend Size: 235 x 22 x 3mm
- Bolt Type: Stainless Steel Double Throw Deadbolt
- Finish: Satin Stainless Steel (SSS)
- Forend Profile: Square or Radius
- Includes: Anti-Rattle Strike Plate & Dust Box
- Compatible With: Euro Profile Cylinders
- Standard: BS EN 12209:2003
- Fire Rating: FD30 & FD60 Timber Doors
- Certification: Certifire CF850
- Compliance: CE Marked
- Guarantee: 10-Year Mechanical Guarantee

Applications

The **DIN Euro Profile Dead Lock Case** is ideal for **offices, schools, hospitals, hotels, apartment buildings, care homes, retail premises and public buildings**. Designed for installation in **timber internal and external doors** with compatible **Euro profile cylinders**, it is particularly

SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

suited to **FD30 and FD60 fire-rated door assemblies**, providing certified fire performance, reliable security and long-lasting durability in demanding commercial and residential environments.

Property	Value
Finish	Satin Stainless Steel
Fire Rating	FD30 / FD60 Timber Doors
Certification	Certifire CF850
Standards Tested	BS EN 12209:2003
Case Size	90mm x 165mm
Backset (mm)	60
Forend Size (mm)	235 x 22 x 3mm