SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com



Domus Line AT6 Ultra Flexible LED Tape – 24V – 10W/m – 6 x 6mm – Natural White 4000K

Variant code: F0339000008

The **Domus Line AT6 ULTRA Flexible LED Silicone Profile** is a compact lighting solution designed for use with **furniture and furnishing elements**. Operating at **24VDC** with a power consumption of **10W/m**, this single-colour version provides a **Natural White 4300K** light output.

The AT6 ULTRA features **symmetrical light projection** and offers a choice of **recessed or surface-mounted installation**. For flush recessed fitting, the profile installs into a milled groove measuring just **6mm wide and 6mm deep**. For surface installation, it features a **high-strength 3M adhesive base**, while hooks and screws provide an alternative mechanical fixing method.

Integrated **FREE-CUT technology** allows the profile to be cut to the required length at any point, providing flexibility for made-to-measure furniture lighting installations. The AT6 ULTRA also features a **Plug & Play connection system** and can be configured with a separately available power cable, back-to-back connector and end cap. The required **24VDC power supply is not included**.

Product Features

- **Flexible LED silicone micro profile** for furniture lighting
- Produces a **Natural White 4300K** light
- Operates from a **24VDC power supply**
- Power consumption of **10W per metre**
- Suitable for **recessed or surface-mounted installation**
- Requires a **6mm wide x 6mm deep milled groove** for recessed installation
- Provides **symmetrical light projection**
- Features integrated **FREE-CUT technology**
- Can be cut to the required length **at any point along the profile**
- Features a **high-strength 3M adhesive base** for surface mounting
- Hooks and screws provide an alternative

Tel: 01626 333900
Email: info@swshardware.com

mechanical fixing method
- Features a **Plug & Play connection system**
- Configurable with separately available **power cable, back-to-back connector and end cap**
- Supplied in a **white finish**

Product Benefits

- **FREE-CUT technology enables made-to-measure installation by allowing the profile to be cut at any required point**
- **Compact 6 x 6mm recessed installation enables discreet integration into furniture and cabinetry**
- **Choice of recessed or surface mounting provides flexibility across different furniture lighting installations**
- **Natural White 4300K** provides a clear single-colour white lighting option
- High-strength **3M adhesive backing** provides a convenient method of surface mounting
- Hooks and screws provide an alternative **mechanical surface-fixing option**
- **Plug & Play connectivity** enables configuration with compatible AT6 ULTRA connection accessories

Technical Characteristics

- **Product Type:** Flexible LED Silicone Micro Profile
- **Light Source:** Single-Colour LED
- **Voltage:** 24VDC
- **Power:** 10W/m
- **Colour Appearance:** Natural White
- **Colour Temperature:** 4300K
- **Installation Groove:** 6mm Wide x 6mm Deep
- **Installation:** Recessed or Surface Mounted
- **Light Projection:** Symmetrical
- **Surface Fixing:** High-Strength 3M Adhesive Base
- **Mechanical Surface Fixing:** Hooks and Screws
- **Cutting System:** FREE-CUT - Cuttable at Any Point
- **Connection System:** Plug & Play
- **Finish:** White
- **Energy Efficiency Class:** F
- **Power Supply:** 24VDC - Not Included

Applications

SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

The **Domus Line AT6 ULTRA Flexible LED Silicone Profile - 4300K** is designed for lighting a wide variety of **furniture and furnishing elements**. Its compact **6 x 6mm recessed installation**, alternative surface-mounting options, **Natural White 4300K** light output and versatile **FREE-CUT construction** make it suitable for made-to-measure furniture and cabinetry lighting where discreet integration and flexible installation are required.

Property	Value
Finish	White
Voltage	24VDC
Colour	Natural White
Size	6mm Wide x 6mm Deep
Length	10m (reel)
Certification	CE & UKCA
Installation Type	Recessed or Surface Mounted
Power Rating (W)	10W/m
Colour Temperature	4300K
Connection System	Plug & Play

SWS
HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

Gallery

