




Fastmount Seismount – Stainless Steel – 225mm

Variant code: PS-SR225SS

Fastmount Seismount Stainless Steel (PS-SR225SS) is a heavy-duty concealed safety restraint designed to provide secure secondary retention for removable panels in areas where additional safety is required. Manufactured from **high-quality stainless steel** and measuring **225mm in length**, it helps prevent accidental panel displacement while allowing controlled access for inspection and maintenance.

Designed for **simple screw-fix installation**, the PS-SR225SS installs quickly without the need for specialist tools or complex assembly. Its robust stainless steel construction delivers outstanding corrosion resistance and long-term durability, making it suitable for demanding commercial, marine and architectural environments. As part of the **Fastmount® Seismount system**, it provides additional security for removable panels while preserving the clean appearance of concealed panel installations.

Ideal for applications subject to movement, vibration or enhanced safety requirements, the PS-SR225SS offers reliable panel restraint without compromising accessibility or ease of maintenance.

Product Features

- Stainless steel Seismount panel restraint
- **225mm overall length**
- Simple screw-fix installation
- Secondary safety restraint for removable panels
- High-strength stainless steel construction
- Excellent corrosion resistance
- Durable and maintenance-free design
- Concealed installation
- Suitable for repeated panel removal and reinstallation
- Genuine Fastmount® Seismount component

Product Benefits

- Provides additional safety for removable panel systems

- Helps prevent accidental panel displacement
- Quick and straightforward screw-fix installation
- Excellent corrosion resistance for demanding environments
- Allows convenient panel access for maintenance and servicing
- Long-lasting performance with minimal maintenance

Technical Characteristics

- **Product Type:** Panel Safety Restraint
- **Brand:** Fastmount
- **Model:** PS-SR225SS
- **System:** Fastmount® Seismount
- **Material:** Stainless Steel
- **Length:** 225mm
- **Installation:** Screw Fixed
- **Application:** Secondary Panel Retention
- **Mounting:** Concealed Panel Safety Restraint

Applications

The **Fastmount Seismount Stainless Steel** is ideal for **architectural wall panels, ceiling systems, marine interiors, commercial buildings, transport interiors, healthcare facilities, public buildings, exhibition installations and access panels**. It provides a robust secondary restraint that enhances panel safety while allowing quick removal and refitting for maintenance, inspection or servicing, making it an ideal solution for high-traffic or vibration-prone environments.

Property	Value
Finish	Plain
Height (mm)	225
Material	Stainless Steel
Weight (g)	13.4
Fasteners Type	6.3 x mm self tapping screw

Gallery

