



Fastmount Thread Tap for Self-Tapping Male Clips – Standard & Low Profile Ranges

Variant code: CT-22

Fastmount Thread Tap (CT-22) is a professional thread-cutting tool designed for preparing threaded mounting holes for **Fastmount® self-tapping male clips**. Compatible with the **Standard Profile, Low Profile, Metal and Panel Control ranges**, it creates clean, accurate threads in hard materials, ensuring secure and reliable installation of Fastmount® concealed panel mounting clips.

Engineered for precision and durability, the CT-22 is suitable for tapping threads into hard substrates before installing compatible self-tapping male clips. It supports a wide range of Fastmount® clip types, helping installers achieve consistent installation quality while reducing the risk of damaged threads or incorrectly fitted clips.

The Fastmount® multi-award-winning concealed panel mounting system enables panels to be removed and refitted repeatedly in any sequence without damaging the fixing system, making it the preferred solution for architectural joinery, furniture manufacturing, marine interiors and commercial fit-out applications.

Product Features

- **Thread tap for Fastmount® self-tapping male clips**
- Suitable for creating threads in hard materials
- Compatible with:
 - Fastmount® Standard Profile Range
 - Fastmount® Low Profile Range
 - Fastmount® Metal Range
 - Fastmount® Panel Control Range
- Suitable for the following clip models:
 - PC-M1B
 - PC-M2H
 - PC-VM1
 - PC-VMX
 - LP-M8A
 - MC-M5
 - PS-150
 - PS-150E (self-tapping male end)

- Precision-machined for accurate thread cutting
- Genuine Fastmount® installation tool

Product Benefits

- Produces clean, accurate threads in hard materials
- Ensures secure installation of compatible Fastmount® clips
- Improves installation consistency and reliability
- Reduces the risk of damaged threads during installation
- Durable construction for repeated professional use

Technical Characteristics

- **Product Type:** Thread Tap
- **Brand:** Fastmount
- **Model:** CT-22
- **Compatible Systems:** Fastmount® Standard Profile, Low Profile, Metal & Panel Control Ranges
- **Compatible Clips:** PC-M1B, PC-M2H, PC-VM1, PC-VMX, LP-M8A, MC-M5, PS-150 and PS-150E
- **Application:** Thread Cutting for Self-Tapping Male Clip Installation
- **Suitable Materials:** Hard Materials

Applications

Ideal for **cabinet makers, furniture manufacturers, joiners, shopfitters, marine installers, exhibition contractors and interior fit-out specialists** installing **Fastmount® concealed panel mounting systems**. The CT-22 Thread Tap provides accurate thread preparation for compatible self-tapping male clips, helping achieve secure, repeatable installations across commercial, residential and marine applications.

Property	Value
Finish	Plain
Width (mm)	10.5
Length (mm)	52
Height (mm)	10.5
Material	Steel

Property	Value
Weight (g)	32