



## Hawa Concepta 25, Set for 1 Door – 1250 – 1850mm

**Variant code: 27648**

The Hawa Concepta 25 set comprises of all fixtures and fittings for pivoting and lateral sliding in wooden doors up to 25 kg (55 lbs.).

Enables multi-functional room design, paired with a flush-fitting.

Set comprises of:

- 1x Set of screws for concealed hinges 4x16 mm (5/8"), 10 pieces
- 1x Spacer profile 860 mm (2'9 27/32"), pre-drilled, plastic black
- 1x Set of screws for spacer profile, 7 pieces PH 4x16 mm (5/8")
- 1x Set Brush guide, set of 3 pieces, plastic black
- 2x Bottom guide channel 728 mm (2'4 21/32"), alu plain anodized, pre-drilled
- 1x Stop cover cap Concepta, depth adjustable, top left/bottom right
- 1x Stop cover cap, Concepta depth adjustable, top right/bottom left
- 1x Cover plates, stainless steel (1 pair)
- 1x Stop damper with retaining bracket for Hawa Concepta 25
- 1x Door retractor 25 50 with damper, plastic black
- 1x Soft closing system for end position and cover caps, plastic black
- 1x Screw set for fitting hardware to cabinet body 4,5x20 mm (25/32"), 22 pieces
- 1x Hex key, 3 mm (1/8"), with handle
- 1x Installation aid, plastic, red

Not sure which Hawa Concepta is right for your project? Use the Hawa Planning Tool below to help you decide:

<https://concepta.hawa.com/>

### Property

### Value

Running Position Fully opening Inslide, Mixslide, Forslide

Min Door Thickness (mm) 19

Property	Value
Max Door Thickness (mm)	50
Max Width (mm)	750
Max Weight (kg)	25
Max Height (mm)	1850

## Gallery

