

Hawa Concepta 50 – Sliding Door Hardware – Set for 1 Door – 2301-2760mm

Variant code: 27651

Hawa Concepta 50: The Ultimate Pivot–Sliding Door System

Seamless Function, Perfect Form

Reimagine your living and working spaces with the **Hawa Concepta 50** hardware set. This premium, meticulously engineered system is designed for **pivoting and lateral sliding** of a single, substantial wooden door, making it the ideal solution for creating versatile, multi-functional rooms. Achieve a **flush-fitting design** that allows doors to disappear discreetly into a cabinet body or wall recess, transforming chaos into clean, unobstructed spaces.

Engineered for Excellence

The Concepta 50 set is tailored for **tall doors** with a height range of **2301 – 2760mm**, offering exceptional design freedom.³ Its robust construction and innovative features ensure effortless, quiet, and reliable operation for years to come.

Key Technical Specifications

- **Door Application:** Single, pivoting, and lateral sliding door (Pocket Door System).
- **Door Height Range:** 2301 – 2760mm (7'6" – 9'0" approx.).
- **Maximum Door Weight:** 50kg (110 lbs).
- **Door Width Range:** 300 – 900mm (Minimum to Maximum).
- **Door Thickness:** 19 – 50mm
- **Operation:** Effortless movement with a **soft-closing mechanism** and **integrated soft-close hinges** for cushioned final positioning.
- **Technology:** Features **unique scissor technology** to easily accommodate large

and heavy door panels.

- **Flexibility:** Universal design for both **left and right-hand side applications**.
- **Installation Advantage:** No disruptive **bottom guide channel** is required, ensuring an obstruction-free floor space.

Design Versatility for Modern Spaces

The Hawa Concepta 50 system is the secret weapon for interior designers and architects seeking to maximise space and flexibility.

- **Conceal & Reveal:** Effortlessly hide **home offices** in bedrooms, tuck away **kitchen appliances** and pantries, or conceal **laundry machines** in bathrooms.
- **Walk-in Wardrobes:** Create seamless, floor-to-ceiling access to walk-in cabinets.
- **Tidy Impression:** When closed, the flush-fitting door maintains a sleek, minimalist aesthetic, instantly tidying the entire space.²⁰

Installation and Comfort

Installation is designed to be **simple and straightforward**. All necessary adjustments can be carried out from the **front**, eliminating the need for awkward access panels. The door is automatically drawn into its pocket, and **well-thought-out shock absorbers** in the end positions guarantee a high degree of movement comfort. The comprehensive kit includes all essential fixtures, such as the upright profile, two-wheeled running gear, unique scissor action, concealed hinges with dampers, and the soft closing systems.

Ready to transform your space?

The **Hawa Concepta 50** system delivers the ultimate in design, function, and convenience, making it the perfect choice for high-quality, long-lasting furniture and interior solutions.

The Hawa Concepta 50 comprises of all fixtures

and fittings for pivoting and lateral sliding in wooden doors up to 50kg (110 lbs).

Enables multi-functional room design, paired with a flush-fitting design.

Set comprises of:

- 1x Upright 2760 mm (9' 21/32"), alu plain anodized
- 1x Two-wheeled running gear, height-adjustable, with torsion plate, zinc-plated matt
- 1x Upright guide, rattle proof with plastic rollers
- 1x Scissor action, complete, 1500 mm (4'11 1/16"), galvanised steel
- 1x Front scissor guide, alu plain anodized 490mm
- 1x Rear scissor guide, alu plain anodized cut to size
- 1x Concealed hinge with damper, nickel-plated, 5 pieces
- 1x Set of screws for concealed hinges 4x16 mm (5/8"), 10 pieces
- 1x Spacer profile 860 mm (2'9 27/32"), predrilled, plastic black
- 1x Set of screws for spacer profile, 7 pieces PH 4x16 mm (5/8")
- 1x Brush guide, set of 3 pieces, plastic black
- 1x Top track 896 mm (2'11 9/32"), alu plain anodized, pre-drilled
- 1x Bottom guide channel 896 mm (2'11 9/32"), alu plain anodized, predrilled
- 1x Stop damper with retaining bracket for Hawa Concepta 30 40 50
- 1x Door retractor 25 50 with damper, plastic black
- 1x Stop cover cap Concepta, depth adjustable, top left/bottom right
- 1x Stop cover cap, Concepta depth adjustable, top right/bottom left
- 1x Pair Cover plates, stainless steel
- 1x Soft closing system for end position and cover caps, plastic black
- 1x Screw set for fitting hardware to cabinet body 4,5x20 mm (25/32"), 22 pieces
- 1x Hex key, 3 mm (1/8"), with handle
- 1x Installation aid, plastic, red

Not sure which Hawa Concepta is right for your project? Use the Hawa Planning Tool below to help you decide:

<https://concepta.hawa.com/>

Property	Value
Running Position	Fully opening Inslide, Mixslide, Forslide
Min Door Thickness (mm)	19
Max Door Thickness (mm)	50
Max Width (mm)	900
Max Weight (kg)	50
Max Height (mm)	2850

Gallery

