




Hawa Porta 60/100 HC/HMD Running Track – Aluminium Black Anodized – Pre drilled – 2500mm

Variant code: 057.3112.255

Hawa Porta 60/100 HC/HMD Running Track – Aluminium Black Anodized

This premium, Swiss-engineered sliding door track is the gold standard for modern architectural hardware, combining high-performance functionality with a sleek, Black Anodized finish.

Designed for both residential and commercial applications, this track supports wooden sliding doors weighing up to 100 kg (220 lbs). Whether you are installing a minimalist room divider, a space-saving pocket door, or a luxury walk-in wardrobe, the Hawa Porta system ensures a whisper-quiet, "floor-free" experience that eliminates trip hazards and maintains an uninterrupted floor aesthetic.

Key Features & Benefits

- **Dual Weight Capacity:** Universally compatible with both Hawa Porta 60 and Porta 100 fitting sets.
- **Black Anodized Finish:** Part of the "Black Edition" range, providing a sophisticated, contemporary look that resists fingerprints and corrosion.
- **Precision Engineering:** Manufactured from high-grade aluminium and pre-drilled for fast, accurate installation.
- **Silent Operation:** Optimised track geometry paired with ball-bearing rollers (sold separately) for a frictionless glide.
- **Versatile Mounting:** Supports surface-mounted ceiling applications, recessed "flush-to-ceiling" looks, and wall-mounted HMD configurations.
- **Soft-Close Ready:** Fully compatible with Hawa's dual-side soft-closing mechanisms for a gentle, controlled stop.

Comparison: Hawa Porta vs. Standard "Budget" Sliding Tracks

When choosing hardware for high-traffic areas or luxury builds, the differences between a

professional Swiss system like Hawa and a standard hardware store track are significant.

Feature	Hawa Porta 60/100 (Black Anodized)	Standard "Big Box" Competitor Track
Material Quality	High-density, aircraft-grade aluminium.	Thin-wall aluminium or galvanised steel.
Finish Durability	Anodized Black (chemical bond, won't flake).	Painted or Powder-coated (prone to chipping).
Weight Rating	Certified up to 100 kg (DIN EN 1527).	Usually limited to 45 kg or 60 kg.
Gliding Performance	Whisper-quiet; zero-vibration geometry.	Audible "rumble" during door movement.
Maintenance	Included track cleaner & dust-resistant design.	Open channel collects debris; difficult to clean.
Lifecycle	Tested for 100,000 cycles (approx. 25 years).	Often fails after 10,000–20,000 cycles.

Why the Hawa Porta is better: While budget tracks may look similar initially, they often suffer from "track jump," noisy operation, and finishes that scratch off over time. The Hawa Porta's Black Anodized treatment isn't just a colour; it's a hardened surface layer that protects the metal. Furthermore, Hawa's unique mounting system allows you to install the track during construction and add the door/rollers later, preventing damage and debris from entering the running gear.

Frequently Asked Questions (FAQ)

1. Does this track include the rollers and stoppers?

No, this is the running track only. To complete your installation, you will need a Hawa Porta 60 or 100 Fitting Set (HC for ceiling mount or HMD for wall mount).

2. Can I cut the track to my specific door width?

Yes. The aluminium construction allows for easy cutting on-site using a standard hacksaw or miter saw with a non-ferrous blade.



3. Is the Black Anodized finish suitable for bathrooms?

Absolutely. The anodizing process makes the aluminium highly resistant to humidity and corrosion, making it perfect for ensuite bathroom sliding doors.

4. What door thickness is compatible with this track?

The track itself accommodates doors ranging from 30 mm to 80 mm, depending on the specific Hawa fitting set and mounting brackets used.

If you require anything larger than 2700mm please contact the office to discuss options as there is a 4 – 5 week delivery time on larger products