
SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com



Hawa Porta 60/100 Assembly Set - 2000mm

Variant code: 057.3179.200

Hawa Porta 60/100 HMT Pocket Top Track Assembly Set - 2500mm

Premium, Heavy-Duty Pocket Sliding Door Hardware

Transform your space with the **Hawa Porta 60/100 HMT Pocket Top Track Assembly Set**. Engineered in Switzerland for **premium sliding door systems**, this 2500mm (8.2 ft) anodised aluminum track is the essential component for **professional wall pocket installations**. Designed for **top-running wooden doors**, it supports both the Hawa Porta 60 and Hawa Porta 100 fitting sets, offering **unrivalled flexibility** and a **minimalist, space-saving aesthetic** for high-end residential and commercial projects.

Key Features & Benefits

- **Dual-Capacity Heavy-Duty Design:** The universal track is compatible with hardware for doors up to **60 kg (132 lbs)** and **100 kg (220 lbs)**, providing a robust solution for standard and **oversized doors**.
- **Optimal Pocket Door Track:** Specifically designed for **Wall Pocket Solutions** (**HMT** minimal installation height), allowing the door to fully disappear into the wall cavity for maximum **space efficiency** and a sleek, **handle-free** finish.
- **Precision-Engineered 2500mm Track:** Features **High-Grade Aluminium** construction with a durable **anodized finish** for superior corrosion resistance and longevity. The 2500mm length is ideal for wide single-door openings.
- **Quick & Easy Installation:** The track is **pre-drilled** for precise mounting, significantly simplifying and accelerating the installation process. The HMT system allows the door to be installed **after construction is complete**, keeping the

Tel: 01626 333900
Email: info@swshardware.com

mechanism clean.

- **Top-Hung, Floor-Free System:** Eliminates the need for a bottom rail, ensuring an **uninterrupted floor finish**, removing trip hazards, and maintaining a **clean aesthetic**.

- **Seamless Integration:** Fully compatible with optional Hawa **Soft Close** and the Hawa Porta 100 HMT **Push-to-Open** mechanisms (sold separately) for controlled, **quiet operation** and ultimate convenience.

Technical Specifications

Feature	Detail	Application
Model	Hawa Porta 60/100 HMT Assembly Set	Universal Top Track & Assembly Components
Track Length	2500 mm (8 ft 2 7/16 in)	Ideal for wider door openings
Max. Door Weight	100 kg (220 lbs)	Supports substantial wooden doors
Door Thickness Range	30 mm – 80 mm	Versatile application range
Material	High-Grade Aluminium (Anodised)	Durable, **Corrosion Resistant**
Installation	Wall Pocket (HMT), Ceiling Mounted (Surface or Recessed)	**Invisible Sliding Door Hardware**
Testing	Tested to DIN EN 1527 (100,000 cycles)	Guaranteed long-term **reliability**
Compatibility	Hawa Porta 60/100 Fitting Sets (Sold Separately)	Requires corresponding running gear and stoppers

Frequently Asked Questions (FAQs)

1. Does this set include the door or the entire pocket frame?
A: No. This product is the Top Track Assembly Set and includes the 2500mm running track and the assembly components necessary for mounting the track into the pocket structure. The door leaf, the fitting set (running

Tel: 01626 333900
Email: info@swshardware.com

gear/stoppers), and the pocket wall frame kit must be purchased separately.

2. What is the difference between Hawa Porta 60 and Hawa Porta 100?
A: The primary difference is the maximum door weight capacity.

- **Hawa Porta 60** supports doors up to **60 kg (132 lbs)**.
- Hawa Porta 100 supports doors up to 100 kg (220 lbs), which is necessary for heavier, oversized, or custom-material doors.9

  This track is compatible with the hardware for both systems.10

3. What does "HMT Pocket" mean?
A: HMT stands for Minimal Installation Height in the pocket.[11] It is a specialised Hawa Porta variant designed for Wall Pocket Installation.[12] This allows the door hardware to be completely concealed above the door opening, achieving a flush and minimalist look with a minimal vertical space requirement.

Hawa Porta 60/100 HMT vs. Eclisse Pocket Door System

To assist with competitive analysis, here is a comparison between the **Hawa Porta 60/100 HMT** (Track-Based) and a popular competitor like the **Eclisse Pocket Door System** (Frame-Based).

Feature	Hawa Porta 60/100 HMT (Track & Assembly)	Eclisse Pocket Door System (Full Kit)
Core Offering	Premium, High-Capacity Top Track and Assembly Components. Focus on track quality.	Complete Pre-Assembled Galvanised Steel Frame Kit. Focus on structural support.
Max. Door Weight	Up to **100 kg (220 lbs)**	Typically up to 80-100 kg, depending on model.
Aesthetic/Finish	Highly Minimalist, Top-Running. Ideal for recessed/ceil	Great finish, but typically requires a **casing/architra**

SWS HARDWARE

Tel: 01626 333900
Email: info@swshardware.com

Feature	Hawa Porta 60/100 HMT (Track & Assembly)	Eclisse Pocket Door System (Full Kit)
	ing-flush integration.	**ve** finish.
Roller Quality	Swiss-engineered **ball-bearing rollers** (in fitting set), renowned for silent, **smooth glide**.	High-quality, tested carriages.
Push-to-Open	Compatible with optional Hawa **Push-to-Open** for **handle-free** design (100 HMT).	Push-to-open function usually available as an optional accessory.
Installation	Track and door installed **post-construction**. Ideal for high-end **renovation** or complex builds.	Full frame installed during construction of the stud wall. Faster for new builds.

The Hawa Porta 60/100 HMT system is often chosen by architects and designers for its superior running mechanism, higher weight capacity (100 kg), and unparalleled aesthetic integration capabilities, particularly when a completely flush, handle-free look is desired.