



## Hawa Porta 60/100 Assembly Set - 3000mm

Variant code: 057.3179.300

The **Hawa Porta 60/100 Assembly Set (2000mm)** is a Swiss-engineered, premium sliding door hardware solution designed for those who value "silent luxury" and minimalist design. This professional-grade assembly set provides the foundation for top-running wooden doors, offering a seamless blend of durability, aesthetic appeal, and whisper-quiet operation.

Whether you are designing a high-end residential walk-in wardrobe or a modern commercial room divider, this 2000mm (approx. 6.5 ft) track system ensures your sliding doors glide with unrivaled precision.

### Key Features & Benefits

- **Dual Weight Capacity:** One universal track system supports both the **Hawa Porta 60** (up to 60kg) and **Hawa Porta 100** (up to 100kg) fitting sets, providing maximum flexibility for various door thicknesses and weights.
- **Minimalist Aesthetic:** Designed for a "hardware-free" look, the system allows for ceiling-integrated or surface-mounted installations where the mechanics are completely concealed.
- **Swiss Precision Engineering:** Tested for over **100,000 cycles** (approx. 25 years of use), ensuring the ball-bearing rollers remain smooth and silent over a lifetime.
- **Post-Construction Installation:** The assembly set allows the track and door to be installed after the messy construction phase is finished, protecting the precision running gear from dust and debris.
- **Corrosion Resistant:** Crafted from high-grade anodized aluminium, making it suitable for high-end interiors and resistant to wear.

### Technical Specifications



Feature	Detail
<b>Material</b>	High-grade Anodized Aluminium (Silver)
<b>Track Length</b>	2000mm (78.75")
<b>Max Door Weight</b>	60 kg (132 lbs) or 100 kg (220 lbs)
<b>Door Thickness</b>	30 mm – 45 mm (standard) / up to 80 mm (specialty)
<b>Height Adjustment</b>	± 3 mm (continuous)
<b>Running Gear</b>	Ball-bearing mounted rollers

## Hawa Porta vs. Standard Sliding Hardware

Feature	Hawa Porta 60/100	Standard "Big Box" Kits
<b>Longevity</b>	100,000+ Cycles (25 years)	~20,000 Cycles (5 years)
<b>Operation</b>	Silent, dampening technology	Noisy "clack" on impact
<b>Installation</b>	Post-construction (clean)	During construction (dust risk)
<b>Aesthetics</b>	Completely concealed / Flush	Exposed tracks and brackets
<b>Soft-Close</b>	Integrated high-performance	Often clunky or external add-ons

## Frequently Asked Questions (FAQ)

**Q: Does this set include the door rollers and stoppers?** A: This is the **Assembly Set**, which includes the 2000mm track and mounting components. The **Fitting Set** (rollers, stoppers, and floor guides) is typically sold separately to match your specific door weight (60kg or 100kg).

**Q: Can I cut the 2000mm track if my opening is smaller?** A: Yes, the aluminium profile can be easily cut to size with a standard metal saw. We recommend using a track cleaner afterward to remove any debris.

**Q: Is it compatible with Soft-Close?** A: Absolutely. It is fully compatible with Hawa's optional soft-close and push-to-open mechanisms for a handle-free, premium experience.



**Q: Can this be used for glass doors?** A: This specific assembly set is optimised for wooden doors. For glass applications, the Hawa Porta 100 G or GM variants are recommended.