



## Hawa Porta 60/100 Single Running Top Track – Aluminium Anodised – Pre-drilled – 2500mm

Variant code: 057.3016.251

### Hawa Porta 60/100 | Single Running Top Track

Premium Anodized Aluminium | Pre-Drilled | 2500mm Length

Elevate your interior design with the **Hawa Porta 60/100 Single Running Top Track**, the gold standard in architectural sliding door hardware. Specifically engineered for both residential and commercial high-end projects, this **2500mm (2.5m) track** provides the foundation for a seamless, "weightless" sliding experience.

Crafted from **high-grade anodized aluminium**, this track offers superior corrosion resistance and a sleek, silver-toned finish that complements modern aesthetics. Whether you are installing a **60kg or 100kg door**, the Hawa Porta system ensures whisper-quiet operation thanks to Swiss-engineered precision.

#### Key Features & Benefits

- **Dual Weight Compatibility:** Universally designed to support both Hawa Porta 60 and Hawa Porta 100 fitting sets (up to 220 lbs).
- **Pre-Drilled for Precision:** Saves significant installation time with factory-aligned mounting holes, ensuring a perfectly level fit every time.
- **Anodized Finish:** The protective oxide layer prevents wear and tear, maintaining a smooth surface for the rollers and a professional look for years.
- **Top-Hung Performance:** Eliminates the need for intrusive floor tracks, allowing for uninterrupted flooring and a clean, minimalist transition between rooms.
- **Versatile Length:** At 2500mm, it is ideal for oversized single doors or can be easily cut to size for custom openings.

#### Product Comparison: Hawa Porta vs. Standard Competitor Tracks

When choosing sliding hardware, the "track is just a track" myth can lead to noisy doors and difficult installs. Here is why the **Hawa Porta 60/100** is the professional's choice:

Feature	Hawa Porta 60/100 Track	Standard Economy Track
<b>Material Quality</b>	<b>Premium Anodized Aluminium</b> (Reduced friction & noise)	Raw/Mill Finish Aluminium (Prone to oxidation & "gritty" feel)
<b>Installation</b>	<b>Factory Pre-Drilled</b> (Guaranteed alignment)	Requires manual drilling (Higher risk of error/uneven sliding)
<b>Running Surface</b>	<b>Precision Profiled</b> for ball-bearing rollers	Generic V or U shape (Can cause door "chatter")
<b>Durability</b>	Tested to <b>100,000 cycles</b> (DIN EN 1527)	Often untested; prone to sagging over time
<b>Aesthetics</b>	Sophisticated anodized silver/black options	Industrial, unfinished look

**The Verdict:** While economy tracks may save on initial costs, the **Hawa Porta 60/100** prevents "door bounce," reduces maintenance, and provides the silent, smooth glide expected in luxury interiors.

### Frequently Asked Questions (FAQ)

#### 1. Is this track suitable for glass or wooden doors?

The track itself is universal. However, you must pair it with the specific Hawa Porta Fitting Set for your door type (H for Wood, G/GF for Glass).

#### 2. Can I cut the 2500mm track if my opening is smaller?

Yes. The high-grade aluminium can be easily cut with a standard hacksaw or circular saw with an aluminium-cutting blade.

#### 3. Does this track include the rollers and stoppers?

No, this is the Running Track only. To complete your installation, you will need a Hawa Porta 60 or

100 Fitting Set, which includes the trolleys, stoppers, and bottom guide.

**4. Can this be used for a pocket door?**

Absolutely. The Hawa Porta 60/100 system is highly popular for wall pocket installations due to its minimal installation height and reliability.

**5. What is the benefit of the "Anodized" finish over "Raw" aluminium?**

Anodizing hardens the surface and creates a protective barrier. This ensures the rollers don't "grind" into the metal over time, preserving the quiet-running characteristics of the system.

**Please contact the office if you want to get a running track larger than 2700mm as there is a 4 - 5 week delivery time**