



Lid Stay to Suit Door Height 340–500mm – 304 Grade Stainless Steel

Variant code: LB-290A

Stainless Steel Lid Stay is a premium support stay designed to provide smooth, secure positioning of upward-opening cabinet flaps and lids. Suitable for **door heights from 340mm to 500mm**, this durable lid stay offers reliable support while maximising usable cabinet space, making it ideal for residential, commercial and marine cabinetry.

Manufactured from **304 grade stainless steel**, the stay delivers excellent corrosion resistance and long-lasting performance in demanding environments. The extendable arm locks the door flap securely in the fully open position, providing safe and convenient access to the cabinet contents. To release the stay, simply push the door flap fully open before closing.

When the cabinet is closed, the telescopic arm retracts neatly into the body of the stay, allowing the cabinet interior to remain unobstructed and making the most of available storage space. The **non-handed design** enables installation on either the left or right side, while the stay can be fitted **individually or as a pair** depending on the size and weight of the door.

Product Features

- Lid stay for **340–500mm door heights**
- Manufactured from **304 grade stainless steel**
- Suitable for single or paired installation
- Holds the door securely in the open position
- Simple push-to-release mechanism
- Retractable arm stores neatly inside the body when closed
- Maximises usable cabinet space
- Non-handed design for left or right-hand installation
- Excellent corrosion resistance

Product Benefits

- Safely supports upward-opening doors and flaps

- Keeps doors securely open during use
- Retractable design allows full use of cabinet interior
- Flexible installation for a wide range of cabinet designs
- Corrosion-resistant construction ensures long service life
- Smooth, reliable operation with minimal maintenance

Technical Characteristics

- **Product Type:** Lid Stay
- **Brand:** Sugatsune
- **Material:** 304 Grade Stainless Steel
- **Suitable Door Height:** 340–500mm
- **Operation:** Lock Open with Push-to-Release
- **Installation:** Left or Right-Hand (Non-Handed)
- **Mounting Options:** Single Stay or Pair
- **Arm Design:** Telescopic Retractable Arm
- **Application:** Upward Opening Cabinet Doors and Flaps

Applications

Stainless Steel Lid Stay is ideal for **kitchen cabinets, overhead storage cupboards, wardrobes, office furniture, marine cabinetry, caravans, motorhomes, retail displays and bespoke joinery**. Designed for upward-opening cabinet doors between **340mm and 500mm high**, it provides safe, reliable lid support while maintaining maximum internal storage space and a clean, professional installation.

Property	Value
Finish	Chrome, Satin
Width (mm)	26.5
Length (mm)	46
Load Capacity (kg)	15
Height (mm)	304
Material	Zinc Alloy, 304 Stainless Steel

Property	Value
Max Door Weight (kg)	33
Weight (g)	160
Max Door Height (mm)	500
Min Door Height (mm)	340