



## Blum Clip Top Hinge – 110° Special Overlay BLUMOTION Sprung – Onyx Black – Inserta

Variant code: 73B3590-OB

**Blum CLIP top Hinge – 110° Half Overlay Sprung – Onyx Black** is designed to provide reliable hinge performance for half overlay cabinet door applications. Part of the **Blum CLIP top hinge system**, this hinge delivers smooth and controlled door movement through its integrated sprung mechanism. Engineered to Blum's precision standards, it ensures consistent operation and dependable durability across a wide range of furniture installations.

The hinge features a **110° opening angle**, providing practical access to cabinet interiors while maintaining stable hinge movement. Designed for **half overlay cabinet door configurations**, it allows adjacent doors to share a central cabinet panel while maintaining accurate alignment and consistent reveals. The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, allowing quick installation and easy removal for adjustment or maintenance.

Finished in durable **Onyx Black**, the hinge supports coordinated dark hardware schemes commonly used in contemporary cabinetry. The hinge cup is designed to accommodate **multiple boss fixing variations**, allowing flexibility during installation depending on cabinet material and production requirements.

---

### Product Features

- **110° opening angle**
- Integrated **sprung self-closing mechanism**
- Designed for **half overlay cabinet door applications**
- Compatible with **multiple boss fixing variations**
- Durable **Onyx Black finish**
- **Tool-free CLIP hinge attachment**

- **Three-dimensional adjustment capability**

---

## Product Benefits

- Provides reliable **self-closing hinge performance**
- Supports efficient cabinet layouts using shared panels
- Allows flexible installation through **boss fixing options**
- Enables precise door alignment and consistent reveals
- Coordinates visually with contemporary **dark cabinetry hardware**
- Suitable for residential and light commercial cabinetry

---

## Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed to support **different boss fixing configurations depending on variant**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **Onyx Black protective finish**
- Suitable for **half overlay cabinet constructions**
- Correct hinge and mounting plate pairing ensures optimal performance

---

## Applications

Suitable for **half overlay cabinet doors** used in kitchens, wardrobes, storage units and fitted furniture where reliable hinge performance and consistent door alignment are required. The **sprung hinge mechanism** ensures controlled self-closing action, while compatibility with **multiple boss fixing variations** allows flexible installation

across different cabinet materials and manufacturing methods. The **Onyx Black finish** makes it particularly suitable for modern cabinetry designs where coordinated dark hardware is specified.

Property	Value
Finish	Onyx Black
Opening angle (°)	110
Application	Overlay
Boss	Inserta
Closing Mechanism	110
Boss Drilling Depth (mm)	13
Max Door Thickness (mm)	26
Hinge Type	Standard