



## Blum Clip Top Hinge – 95° Blind Corner Inset BLUMOTION Sprung – Onyx Black – Screw-on

Variant code: 79B9550-OB

**Blum CLIP top Hinge – 95° Blind Corner Inset BLUMOTION Sprung – Onyx Black** is engineered for cabinet doors installed in blind corner cabinet constructions where specialised hinge geometry is required to ensure correct door movement and alignment. Part of the **Blum CLIP top BLUMOTION hinge system**, this hinge integrates soft-close technology directly within the hinge mechanism, delivering smooth and controlled closing without the need for additional damping components. Manufactured to Blum's precision engineering standards, it provides reliable performance in complex cabinet layouts.

The hinge features a **95° opening angle**, allowing practical access while maintaining controlled door movement within restricted blind corner cabinet installations. Designed for **inset cabinet door applications**, it allows the door to sit flush within the cabinet frame while ensuring sufficient clearance for blind corner constructions. The hinge clips securely onto compatible Blum mounting plates using the **tool-free CLIP top system**, enabling efficient installation and simple removal for adjustment or maintenance.

Manufactured from durable steel with a **protective Onyx Black finish**, the hinge provides corrosion resistance and a contemporary appearance suited to modern cabinetry and coordinated hardware schemes. The hinge cup is **compatible with different boss fixing types depending on the selected variant**, allowing flexibility during installation based on cabinet material and manufacturing requirements.

---

### Product Features

- **95° opening angle** suitable for blind corner cabinet installations
- Integrated **BLUMOTION soft-close mechanism**
- Designed for **blind corner inset cabinet door applications**
- Compatible with **multiple boss fixing types depending on variant**

- Durable **Onyx Black finish**
- **Tool-free CLIP hinge attachment**
- **Three-dimensional adjustment capability**

---

## Product Benefits

- Provides smooth and quiet **soft-closing door operation**
- Enables hinge installation in **blind corner cabinet layouts**
- Supports clean and precise **inset cabinet design**
- Allows installation flexibility through **different boss fixing options**
- Ensures accurate door alignment and consistent reveals
- Suitable for residential and light commercial cabinetry

---

## Technical Characteristics

- Requires compatible **Blum CLIP top mounting plates**
- Designed to support **different boss fixing types depending on variant**
- Adjustable vertically, laterally and in depth
- Steel hinge construction with **Onyx Black protective finish**
- Suitable for **blind corner inset cabinet constructions**
- Correct hinge and mounting plate pairing ensures optimal performance

---

## Applications

Suitable for **blind corner inset cabinet doors** used in kitchens, storage units and bespoke furniture where specialised hinge geometry is required to allow correct door movement within restricted cabinet spaces. The integrated **BLUMOTION soft-close mechanism** ensures controlled and quiet closing, while compatibility with **different boss fixing types depending on variant** allows installation across a variety of cabinet materials and manufacturing methods. The **Onyx Black finish** provides durability and a refined appearance suited to contemporary cabinetry and coordinated interior hardware.

### Property

### Value

Finish

Onyx Black

| Property                 | Value        |
|--------------------------|--------------|
| Opening angle (°)        | 95           |
| Application              | Inset        |
| Boss                     | Screw-on     |
| Closing Mechanism        | Sprung       |
| Boss Drilling Depth (mm) | 13           |
| Max Door Thickness (mm)  | 28           |
| Hinge Type               | Blind Corner |