



## Hawa Concepta III 25 – Sliding Door Hardware – Basic Set – 1200–2200mm – Left Hand

Variant code: 30994

### Hawa Concepta III 25 Basic Set: The Invisible Door Solution (1200–2200mm)

The **Hawa Concepta III 25 Basic Set**, the cutting-edge hardware system that makes doors *disappear*. This innovative solution allows single wooden doors to pivot, slide laterally, and then **vanish** neatly into the cabinet side or wall recess, delivering a clean, flush-front aesthetic with maximum accessibility.

Perfect for high-end cabinetry, home offices, kitchens, and wardrobes, the Concepta III 25 is engineered for doors with a height range of **1200–2200 mm** and a maximum weight of **25 kg**.

#### Key Features & Benefits

- **Invisible Functionality:** Achieve a seamless, uniform cabinet front. The technology is completely concealed when the door is closed, creating a minimalist look.
- **Pivot-and-Slide Motion:** The door pivots  $90^\circ$  and glides smoothly into the side of the furniture or wall recess, completely opening the cabinet space without any protruding doors to obstruct traffic or adjacent furniture.
- **Designed for Productivity:** The system boasts a **high degree of pre-assembly**, significantly reducing installation time and effort on-site.
- **Intuitive On-Site Adjustment:** Adjustments can be performed quickly and easily from the front *without* having to remove the door, saving valuable installation and maintenance time.
- **Exceptional Comfort:** Experience an **even, smooth movement** supported by ergonomic design, ensuring quiet and

durable operation.

- **Versatile Design Options:** This Basic Set is a fundamental component for your system. It supports both **handle-operated (Pull)** and **handle-less (Push)** opening kits (sold separately), giving you total design flexibility.

---

#### Technical Specifications (Basic Set)

Parameter	Specification	Note
<b>Door Height Range</b>	1200 – 2200 mm (approx. 3' 11" – 7' 2")	This basic set is for the shorter height range.
<b>Max. Door Weight</b>	25 kg (approx. 55 lbs)	Door weight must be adapted to the door size ratio.
<b>Door Width Range</b>	440 – 750 mm (approx. 1' 5" – 2' 5")	Max door width recommendation.
<b>Door Thickness</b>	18 – 26 mm	Suitable for standard wooden door materials.
<b>Handing</b>	Available for <b>Left</b> or <b>Right</b> side installations.	Handing must be specified when ordering.
<b>Required Components</b>	This basic set must be combined with a separate <b>Upright Profile</b> and <b>Slide-in/Opening Kit</b> (Push or Pull).	

---

#### The Modern Architect's Choice

The Hawa Concepta III 25 is more than just hardware; it's an enabler for modern, multi-functional living spaces. By effortlessly concealing work areas, entertainment centers, or storage, it empowers you to create versatile rooms that transition instantly from utilitarian to elegant, optimising every available square foot.

**Note:** This Basic Set is one of three required components for a complete, functioning pivot/slide-in door system.<sup>8</sup> You must also purchase the appropriate **Upright Profile** (for 1200–2200mm height) and a **Slide-in/Opening Kit** (Push or Pull) separately.

Simplicity is part of the concept with Hawa Concepta III, architects, planners and fabricators were included directly in the development of the next Hawa Concepta with a very positive outcome. The high degree of pre-assembled parts reduces the amount of work and tools required on site. Add to that the fact that adjustments can be carried out in a flash in situ without having to remove the door, achieved via easily accessible adjustment points saving valuable time.

Be it with high doors or with multiple doors, with or without handle; no matter which design option is required: Hawa Concepta III makes it possible to design the right solution for every request.

#### Set Comprises:

- 3 Slot nuts for hinge attachment, plastic black
- 1x Mounting plate for hinge with height adjustment, (nickel plated steel)
- 3x Concealed hinges, with soft closing mechanism and closing spring, nickel plated
- 1x Set with screws for concealed hinge 8 pcs. 4x16 mm and 3 pcs. door stop buffer
- 2x Profile for magnetic guide, with double-sided adhesive tape, length 730 mm, steel black
- 1x Euro screws 6 x 13, black 6 pieces
- 1x Bottom guide track, length 838 mm aluminium, plain anodised
- 1x Top running track, length 838 mm aluminium, plain anodised
- 1x Countersunk head screws, 4.5x20 mm, zinc-plated set of 16 pieces
- 1x Set of adjusting tools

Sets are handed, please ensure you select the correct product at checkout.

Property	Value
Side	Left
Door Height (mm)	1200-2200
Door Weight (kg)	25