



Salice Pacta – Compact Push to Open Flap Hinge with Mounting Plates (Power Rating I)

Variant code: FRBKFEPI9N9

The **Salice Pacta Compact Push-to-Open Drop Flap Hinge** with **Power Rating I** is an innovative concealed hinge system engineered specifically for **downward-opening flap doors**. Designed for modern handleless furniture, the Pacta system combines the hinge, stay and controlled opening mechanism into one compact unit, eliminating the need for bulky gas struts, support cables or external stays while maintaining a clean, minimalist cabinet interior.

Optimised for **medium-weight doors between approximately 3.5kg and 6.5kg**, the integrated **Push-to-Open** mechanism allows effortless access with a simple press on the door front. The built-in **Smove deceleration system** controls the descent of the flap, delivering smooth, quiet opening while protecting both the furniture and hardware from impact. When fully opened, the flap sits perfectly horizontal and flush with the cabinet base, creating a practical work surface or shelf.

Supplied complete with **longitudinal snap-on mounting plates**, the Salice Pacta system provides straightforward installation and precise three-dimensional adjustment, making it an ideal solution for premium kitchens, home offices, living room furniture and bespoke cabinetry.

Product Features

- Genuine Salice Pacta compact drop flap hinge system
- Integrated Push-to-Open operation for handleless furniture
- Power Rating I for medium-weight doors (approximately 3.5kg to 6.5kg)
- Built-in Smove deceleration for controlled opening
- Door opens to a fixed 90° angle
- Flap sits flush with the cabinet base when fully open
- No external stays, gas struts or support cables required
- Includes longitudinal snap-on mounting plates

- 35mm hinge cup with 13mm drilling depth
- Three-way door adjustment for precise alignment
- Certified to UNI EN 15828:2010 Level 3

Product Benefits

- **Creates a sleek handleless appearance with convenient Push-to-Open functionality**
- **Integrated Smove deceleration delivers smooth, controlled flap opening while reducing impact**
- **Compact concealed design maximises usable cabinet space without bulky stays or cables**
- Provides a continuous horizontal surface when the flap is fully open
- Three-dimensional adjustment enables accurate door alignment after installation
- Snap-on mounting plates allow quick and secure fitting
- Designed for medium-weight flap doors in premium furniture applications
- Manufactured by Salice for exceptional durability and long-term performance

Technical Characteristics

- Product Type: Push-to-Open Drop Flap Hinge System
- Brand: Salice
- Series: Pacta
- Power Rating: I
- Recommended Door Weight: Approximately 3.5kg to 6.5kg
- Recommended Door Height: 280mm to 400mm
- Opening Angle: 90°
- Hinge Cup Diameter: 35mm
- Cup Drilling Depth: 13mm
- Side Adjustment: -1.5mm to +1.5mm
- Height Adjustment: -1.5mm to +1.5mm
- Depth Adjustment: -0.5mm to +2.8mm
- Mounting Plates: Longitudinal Snap-On Included
- Certification: UNI EN 15828:2010 Level 3
- Application: Downward-Opening Flap Doors

Applications

The **Salice Pacta Compact Push-to-Open Drop Flap Hinge** is ideal for **handleless kitchen cabinets, home office desks, media units, drinks cabinets, storage cupboards, living room**

furniture and bespoke joinery. Specifically designed for **downward-opening flap doors**, it creates a clean, uninterrupted cabinet interior while providing smooth Push-to-Open operation and a practical horizontal work surface when fully opened. For cabinets wider than **900mm**, the use of a compatible **Salice Pacta central hinge** is recommended for additional stability.

Property	Value
Opening angle (°)	90
Certification	UNI EN 15828:2010 Level 3
Adjustments	Side Adjustment: -1.5mm to +1.5mm, Height Adjustment: -1.5mm to +1.5mm, Depth Adjustment: -0.5mm to +2.8mm
Suitable for	Door Weight: Approximately 3.5kg to 6.5kg, Door Height: 280mm to 400mm