



Surface Mounted Door Damper (Controls final 15 degrees of Closing) – White – Right Hand

Variant code: ADD01RHHW

Surface Mounted Soft Close Door Damper provides smooth, controlled door closing by regulating the **final 15 degrees of the closing cycle**. Designed for discreet installation on the door frame, this compact surface-mounted damper reduces slamming, minimises noise and helps protect doors, frames and surrounding hardware from impact damage. With a slim profile of just **20mm high**, it integrates neatly into most door frames while remaining unobtrusive.

Suitable for doors up to **900mm wide** and weighing between **15kg and 40kg**, the damper features **adjustable closing power** to accommodate different door sizes and operating conditions. The integrated self-closing and soft-close mechanism gently pulls the door closed during the final stage of travel, delivering a premium closing action without the need for a conventional overhead door closer. This model is the **right-hand version**, viewed from the opening side with the hinges positioned on the right.

Engineered for long-term reliability, the damper has successfully passed **100,000 open and close cycle tests**. Available in a range of finishes to complement modern interiors, this version is supplied in **White**, making it ideal for residential and light commercial applications where quiet, controlled door closing is required.

Product Features

- Surface-mounted soft close door damper
- Controls the final 15° of door closing
- Integrated self-closing and soft-close function
- Compact 20mm high unobtrusive design
- Adjustable closing power
- Suitable for doors up to 900mm wide
- Suitable for door weights between 15kg and 40kg
- Right-hand version (viewed from opening side)
- Successfully tested to 100,000 opening

- and closing cycles
- White finish

Product Benefits

- **Prevents doors from slamming during the final stage of closing**
- **Protects doors, frames and hardware from impact damage**
- **Provides quiet, smooth and controlled closing action**
- Compact design remains discreet after installation
- Adjustable closing force allows fine tuning to suit different doors
- Reduces noise in residential and commercial environments
- Long-life design proven through 100,000 cycle testing
- Easy surface-mounted installation with minimal visual impact

Technical Characteristics

- Product Type: Surface Mounted Door Damper
- Brand: Sugatsune
- Operation: Soft Close During Final 15° of Closing
- Mounting Type: Surface Mounted
- Handing: Right-Hand (Viewed from Opening Side)
- Adjustable Closing Power
- Maximum Door Width: 900mm
- Suitable Door Weight: 15–40kg
- Overall Height: 50mm
- Durability: Successfully Tested to 100,000 Open/Close Cycles
- Finish: White

Applications

The **Surface Mounted Soft Close Door Damper** is ideal for **homes, apartments, offices, hotels, healthcare facilities, educational buildings and commercial interiors**. Designed for internal hinged doors, it provides quiet, controlled closing while protecting **doors, frames and surrounding fittings**, making it particularly suitable for locations where noise reduction, safety and improved door longevity are important.

Property	Value
Finish	White
Width (mm)	212
Load Capacity (kg)	40
Height (mm)	50
Max Door Width (mm)	900
Max Door Weight (kg)	40
Weight (g)	550